





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
K		REVISED PER ECO-16-004940	06AUG2016	NK	MZ
L		REVISED PER ECO-18-000443	23JAN2018	RS	MZ



RECOMMENDED PC BOARD LAYOUT

- ① 3.81um [.000150] MIN TIN-LEAD OVER 0.76um [.000030] MIN NICKEL.
- ② 0.76um [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81um [.000150] MIN TIN-LEAD FOR A LENGTH OF 5.23 [.206] MIN FROM OPPOSITE END, BOTH OVER 1.27um [.000050] MIN NICKEL.
- ③ 3.81um [.000150] MIN TIN OVER 0.76um [.000030] MIN NICKEL.
- ④ 0.76um [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81um [.000150] MIN TIN FOR A LENGTH OF 5.23 [.206] MIN FROM OPPOSITE END, BOTH OVER 1.27um [.000050] MIN NICKEL.

	CONTACT FINISH	PART NUMBER
	④	207610-7
	③	207610-6
OBSOLETE	②	207610-3
OBSOLETE	①	-207610-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L.SIPE	08/06/92	TE Connectivity Ltd.	
DIMENSIONS: mm [INCHES]		CHK J.McCLINTON	8-11-92		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME A.TRAVIS	
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-10033	
MATERIAL HSG: NYLON, RED		CONTACTS: SEE TBL		APPLICATION SPEC	
WEIGHT		SCALE		RESTRICTED TO	
CUSTOMER DRAWING		A2 00779		DRAWING NO C=207610	
SHEET		SCALE 2:1		SHEET 1 of 1	
REV		REV		REV L	