



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , - .
© COPYRIGHT - By - ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	M	REVISED PER ECO-16-001979	15FEB2016	NK	MZ
	N	REVISED PER ECO-17-013721	16NOV2017	RS	MZ



STYLE B
(MALE)



STYLE C
(STRIP)

- 1 FINISH: SILVER PLATE 200uIN MIN THICK.
2 FINISH: NICKEL PLATE 40uIN MIN THICK.
3 FINISH: GOLD PLATE 10uIN MIN THICK.
4 FINISH: NICKEL PLATE 50uIN MIN THICK.
5 FINISH: NICKEL PLATE 100uIN MIN THICK.
6 NOT USED.
7 NOT USED.
8 NOT USED.
9 NOT USED.
10 NOT USED.
11 PLATING NOTES ARE TO BE INTERPRETED AS FOLLOWS, 6–8 AS 6 OVER 8.
12 MATERIAL: CDA172, BeCu.
13 MATERIAL: STAINLESS STEEL.

14 PRODUCT IS SOLD BY THE FOOT.

15 FINISH: PREPLATED SILVER 200 uIN MIN, OVER NICKEL .040 uIN MIN.

16 REELED PRODUCT.

17 PRELIMINARY PART NUMBER.

 OBSOLETE PART NUMBER.

19 OBSOLETEPARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

		NOT AVAILABLE			--	--	--	--	--	03088	4-192039-5	
		NOT AVAILABLE			--	--	--	--	--	03087	4-192039-4	
		NOT AVAILABLE			--	--	--	--	--	03051	4-192039-3	
		NOT AVAILABLE			--	--	--	--	--	03050	4-192039-2	
 OBSOLETE		B	[.036]	[.58]	12	16.51[.650]	UNPL	43	0.20[.008]	03119	4-192039-1	
		B	[.032]	[.58]	12	14.22[.560]	1-2	43	0.15[.006]	03124	4-192039-0	
		NOT AVAILABLE			--	--	--	--	--	--	3-192039-9	
 OBSOLETE		B	[.038]	[.46]	12	12.7[.500]	--	34	0.20[.008]	03122	3-192039-8	
		B	[.038]	[.46]	12	12.7[.500]	1-2	34	0.20[.008]	03121	3-192039-7	
		B	[.038]	[.46]	12	12.7[.500]	UNPL	34	0.20[.008]	03048	3-192039-6	
		B	[.032]	[.46]	12	12.7[.500]	1-2	--	0.15[.006]	03129	3-192039-5	
OBSOLETE		B	[.032]	[.46]	12	12.7[.500]	UNPL	34	0.15[.006]	03110	3-192039-4	
 OBSOLETE		B	[.034]	[.33]	12	9.52[.375]	1-2	24	0.20[.008]	03148	3-192039-3	
		--					--	--	--	03042	3-192039-2	
		SUPERSEDED BY 2-192039-7					--	--	--	--	03041	3-192039-1
 OBSOLETE		B	[.036]	[.31]	12	7.9[.311]	3-2	21	0.20[.008]	03082	3-192039-0	
		B	[.036]	[.31]	12	7.9[.311]	1-2	21	0.20[.008]	03036	2-192039-9	
					--	--	--	--	--	03035	2-192039-8	
 OBSOLETE		B	[.036]	[.31]	12	7.9[.311]	UNPL	21	0.20[.008]	03066	2-192039-7	
 OBSOLETE		B	[.036]	[.30]	12	7.37[.291]	UNPL	20	0.20[.008]	03120	2-192039-6	
		NOT AVAILABLE			--	--	--	--	--	03034	2-192039-5	
		NOT AVAILABLE			--	--	--	--	--	03030	2-192039-4	
OBSOLETE		B	[.036]	[.30]	12	6.3[.248]	1-2	17	0.20[.008]	03027	2-192039-3	
		B	[.036]	[.30]	12	6.3[.248]	UNPL	17	0.20[.008]	03026	2-192039-2	
 OBSOLETE		B	[.033]	[.27]	12	6.3[.248]	1-2	16	0.20[.008]	03140	2-192039-1	
		B	[.033]	[.27]	12	6.3[.248]	UNPL	16	0.20[.008]	03139	2-192039-0	
		B	[.036]	[.25]	12	6.0[.236]	3-2	15	0.20[.008]	03024	1-192039-9	
		B	[.034]	[.20]	12	4.0[.157]	4	9	0.20[.008]	03017	1-192039-8	
OBSOLETE		B	[.034]	[.20]	12	4.0[.157]	3-2	9	0.20[.008]	03016	1-192039-7	
 OBSOLETE		B	[.034]	[.20]	12	4.0[.157]	UNPL	9	0.20[.008]	03071	1-192039-6	
		--					--	--	--	03015	1-192039-5	
		B	[.032]	[.20]	12	4.0[.157]	3-2	9	0.15[.006]	03014	1-192039-4	
		B	[.032]	[.20]	12	4.0[.157]	4	9	0.15[.006]	03128	1-192039-3	
		B	[.032]	[.20]	12	4.0[.157]	UNPL	9	0.15[.006]	03073	1-192039-2	
		B	[.020]	[.20]	13	4.0[.157]	UNPL	9	0.12[.005]	03091	1-192039-1	
		C	[.038]		12	--	3-2	--	0.20[.008]	03115	1-192039-0	
		NOT AVAILABLE			12	--	--	--	--	--	192039-9	
 OBSOLETE			C	[.038]		12	--	1-2	--	0.20[.008]	03116	192039-8
OBSOLETE			C	[.038]		12	--	UNPL	--	0.20[.008]	03078	192039-7
			C	[.034]		12	--	3-2	--	0.15[.006]	03003	192039-6
			C	[.034]		12	--	1-2	--	0.15[.006]	03094	192039-5
 OBSOLETE			C	[.034]		12	--	UNPL	--	0.15[.006]	03057	192039-4
			C	[.020]		13	--	UNPL	--	0.12[.005]	03138	192039-3
							--	--	--	--	03079	192039-2
		NOT AVAILABLE			--	--	--	--	--	--	03067	192039-1
		STYLE	LH	FREE DIA	MAT'L (NOTE)	MATING DIA REF	PLATING	NUM LOUV	MAT'L THK	REF	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RA JAYNE 09-12-91 CHK RA JAYNE 09-12-91		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME CONTACT BAND, LAIIS, MALE	
		APVD — PRODUCT SPEC — APPLICATION SPEC —			
0 PLC ± — 1 PLC ± — 2 PLC ± .02 3 PLC ± .010 4 PLC ± — ANGLES ± — MATERIAL FINISH —		WEIGHT —			
SEE TABLE		CUSTOMER DRAWING		SIZE A2 CAGE CODE 00779 DRAWING NO C=192039	RESTRICTED TO —
				SCALE NTS	SHEET 1 of 2 REV N

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-192039-9](#)