




LOC		DIST		REVISIONS					
-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
					F	REV PER ECO 15-010033	7-10-15	CT	DH



1. MATING CONNECTOR FOR THIS CONNECTOR IS 2033993.


2. MATERIAL- SHELL: ALUMINUM
HOUSING: GLASS FILLED POLYESTER, UL94VO
RETAINING RING: STAINLESS STEEL
KEYING GUIDE PIN: STAINLESS STEEL

3. PLATING- CONTACT MATING AREA:
1.27µm MIN GOLD OVER 1.27µm MIN NICKEL
CONTACT PCB AREA: 0.5µm MIN BRIGHT
TIN-LEAD OVER 1.27µm MIN NICKEL

SHELL: ELECTROLESS NICKEL


4. KEYING GUIDE PIN PACKAGED FOR
ASSEMBLY BY CUSTOMER.

5. PLATING- CONTACT MATING AREA:
1.27µm MIN GOLD OVER 1.27µm MIN NICKEL
CONTACT PCB AREA: 0.5µm MIN TIN
OVER 1.27µm MIN NICKEL



		2	-	-	5-2033994-4
		1	1	-	5-2033994-3
OBSOLETE		2	-	-	5-2033994-2
OBSOLETE		1	1	-	5-2033994-1
		-	-	2	2033994-4
		-	1	1	2033994-3
OBSOLETE		-	-	2	2033994-2
OBSOLETE		-	1	1	2033994-1
		3 PAIR HMZd (RoHS)	8 POSN UPM	3 PAIR HMZd	PART NUMBER
	CONTACT FINISH	MODULE QTY PER ASSY			

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Brent D. Yohn 13JAN2010	TE Connectivity	
DIMENSIONS:		CHK CHONG YI 13JAN2010	NAME	
mm		APVD M. R. McALONIS 13JAN2010	MOTHER BOARD CONNECTOR HIGH SPEED, RUGGEDIZED (HSR) 2 BAY, UNSEALED, VERTICAL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
0 PLC ±"		108-2381	CAGE CODE	
1 PLC ±0.13		APPLICATION SPEC	DRAWING NO	
2 PLC ±0.013			RESTRICTED TO	
3 PLC ±"			A100779	
4 PLC ±"			C=2033994	
ANGLES			SCALE	
FINISH			3:1	
MATERIAL		WEIGHT	SHEET	
2			1 OF 2	
CUSTOMER DRAWING			REV	
			F	

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2033994-3](#)