

## Operating lever - C-ME 6/3 - 3034390

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid  
(<http://phoenixcontact.com/download>)



Operating lever, Length: 5 mm, Width: 24.1 mm, Height: 5 mm, Number of positions: 3, Color: orange

The figure shows a similar product



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
Weight per Piece (excluding packing)	1.2 g
Custom tariff number	39269097
Country of origin	Poland

### Technical data

#### General

Color	orange
Material	PA
Flammability rating according to UL 94	V0

#### Dimensions

Width	24.1 mm
Length	5 mm
Height	5 mm

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

## Operating lever - C-ME 6/3 - 3034390

### Classifications

#### eCl@ss

eCl@ss 4.0	27141111
eCl@ss 4.1	27141111
eCl@ss 5.0	27141133
eCl@ss 5.1	27141133
eCl@ss 6.0	27141133
eCl@ss 7.0	27379201
eCl@ss 8.0	27141190
eCl@ss 9.0	27141190

#### ETIM

ETIM 3.0	EC000489
ETIM 4.0	EC000886
ETIM 5.0	EC002848

#### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121409
UNSPSC 13.2	39121410

### Approvals

#### Approvals

---

Approvals

EAC / EAC

---

Ex Approvals

---

Approvals submitted

---

#### Approval details

EAC
-----

## Operating lever - C-ME 6/3 - 3034390

### Approvals

EAC
-----

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

3034390