









4 CIRCUIT SHOWN



1. MATERIAL: SEE TABLE
2. INCH DIMENSIONS ARE SHOWN IN BRACKETS [XXX].
3. 'XX' REFERS TO THE QUANTITY OF CIRCUITS.
4. ALL COMPONENTS ARE ROHS COMPLIANT.



INITIAL RELEASE EC NO: ETC2007-0073 DRAWN:EHILE 2006/09/28 CHKD:JMACNEIL 2006/09/28 APPR: JMACNEIL 2006/09/29					DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
6	XX	SCREW&WASHER, 6-32X.250, PAN, PH/SL (-50 OPTION)	STEEL	ZN, CLEAR CHROMATE											
5	XX	SCREW, 6-32X.250, BHD, PHIL-SLOT (-49 OPTION)	BRASS	NICKEL					mm	INCH	DRAWN BY EHILE	DATE 2006/09/13	TITLE 9.53MM [.375] SR BTS ASSY, INSULATED TURRET TERMINAL W/MTG MOLEX INCORPORATED		
4	XX	SCREW, 6-32X.250, BHD, PHIL-SLOT (STANDARD)	STEEL	ZN, CLEAR CHROMATE					4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	CHECKED BY JMACNEIL	DATE 2006/09/13			
3	XX	TERMINAL, SOLDER TURRET	BRASS	TIN					2 PLACES ± 0.13 ± .01	1 PLACE ± 0.25 ± ---	APPROVED BY JMACNEIL	DATE 2006/09/13			
2	XX	MOUNTING PLATE	BRASS	NICKEL					ANGULAR ± 2 °		MATERIAL NO. DOCUMENT NO.				
1	1	INSULATOR, SR, W/MTG	THERMOPLASTIC	BLACK					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-38720-010		SHEET NO. 1 OF 2
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

38720-3207