PHŒNIX CONTACT

Mounting flange - UMK-BF - 2976077

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Mounting flange, for mounting directly on the wall

Your advantages

☑ The modules can be marked using the marking grooves in the lateral element as well as with the Phoenix Contact PMB module marker, which is snapped into a bore hole (4 mm Ø) in the PCB

☑ Fast assembly thanks to the plug-in module principle. The tight engagement of the individual elements ensures that they are securely connected.

☑ Wide range of options for external conductor connection

☑ Due to the universal foot, the modules can be snapped onto standard EN DIN rails

☑ The mounting flange supports direct wall mounting

RoHS

Key Commercial Data

Packing unit	50 pc
GTIN	4 017918 089207
GTIN	4017918089207

Technical data

General

Housing material	Polyamide
Color (RAL)	green

Standards and Regulations

Flammability rating according to UL 94	V2

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Mounting flange - UMK-BF - 2976077

Approvals

Approvals

Approvals

UL Recognized

Ex Approvals

Approval details

| UL Recognized | | http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm | FILE E 240868 |

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#):
  [2976077](#)