




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B


A



PCB LAYOUT FOR 2 POSITION   
COMPONENT SIDE



PCB LAYOUT FOR 3 POSITION   
COMPONENT SIDE






PCB LAYOUT FOR 4-12 POSITION   
COMPONENT SIDE

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.ROOT 06OCT2000	 TE Connectivity		
DIMENSIONS:		CHK K.WHITAKER 13-MAR-2001			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD K.WHITAKER 13-MAR-2001	NAME RIGHT ANGLE THRU HOLEHEADER ASSY, TIN CONTACTS W/PLASTIC HOLDDOWNS, SINGLE ROW, MICRO MATE-N-LOK™		
	0 PLC ±- 1 PLC ±- 2 PLC ±0.13 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH	PRODUCT SPEC - APPLICATION SPEC - WEIGHT -			
MATERIAL	SEE TABLE	CUSTOMER DRAWING	SIZE A2	CAGE CODE 00779	DRAWING NO C-1445055
		SCALE 5:1		SHEET 2	OF 2
				REV B1	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1445055-1](#)