








1	2	3				4	5	6	7	8
PRODUCT NUMBER ("LF" DENOTES LEAD-FREE)	CONTACT PLATING NOTE	MATING LENGTH, DIM "X"				ROHS COMPATIBILITY				
		POSN 1	POSN 2	POSN 3	POSN 4					
10028916-4444P00	2	1.10	1.10	1.10	1.10	N/A				
10028916-4444P00LF	3					SEE NOTE 9				
10028916-5555P00	2	2.60	2.60	2.60	2.60	N/A				
10028916-5555P00LF	3					SEE NOTE 9				
10028916-4555P00	2	1.10	2.60	2.60	2.60	N/A				
10028916-4555P00LF	3					SEE NOTE 9				
10028916-5455P00	2	2.60	1.10	2.60	2.60	N/A				
10028916-5455P00LF	3					SEE NOTE 9				
10028916-5545P00	2	2.60	2.60	1.10	2.60	N/A				
10028916-5545P00LF	3					SEE NOTE 9				
10028916-5554P00	2	2.60	2.60	2.60	1.10	N/A				
10028916-5554P00LF	3					SEE NOTE 9				
10028916-4554P00	2	1.10	2.60	2.60	1.10	N/A				
10028916-4554P00LF	3					SEE NOTE 9				
10028916-4455P00	2	1.10	1.10	2.60	2.60	N/A				
10028916-4455P00LF	3					SEE NOTE 9				
10028916-5544P00	2	2.60	2.60	1.10	1.10	N/A				
10028916-5544P00LF	3					SEE NOTE 9				



SCALE 4:1



spec ref	GS-12-220		dr	Chen-Hong Tan	2005/08/03	projection 	MM 	size	A2	scale	6:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Suzie Nah	2014/03/21	ecn no			ELX-S-17215-1			
ASME Y14.5		chr	-	-	product family			2mm High Power			
-		appr	Chen-Hong Tan	2014/03/24				rel level	Released		
surface 	linear	0.X	±.3		file	2X2 VERTICAL RECEPTACLE ASSY	dwg no	10028916	rev	L	
		0.XX	±.1								
		0.XXX	±.05								
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw		sheet 1 of 2		

PDS: Rev :L

STATUS:Released

Printed: Apr 01, 2014

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10028916-4554P00LF](#) [10028916-4444P00LF](#) [10028916-4455P00LF](#) [10028916-5455P00LF](#) [10028916-5544P00LF](#)
[10028916-5545P00LF](#) [10028916-5554P00LF](#) [10028916-5555P00LF](#) [10028916-4555P00LF](#) [10028916-4455P00](#)
[10028916-5455P00](#) [10028916-5545P00](#) [10028916-5554P00](#) [10028916-4444P00](#) [10028916-5555P00](#)