







1438129-1
SHOWN WITH SPACER
IN SEATED POSITION







REVISIONS					
P.	LTR	DESCRIPTION	DATE	DWN	APVD
F32		REVISED PER ECO-16-003418	08MAR2016	DLD	DCM
F33		REVISED PER ECO-16-018427	25JAN2017	DLD	DCM
F34		REVISED PER ECO-17-007768	30MAY2017	DLD	DCM
F35		REVISED PER ECO-17-014872	24OCT2017	JMS	CM

- 1 PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*) PART NUMBERS.
- 2 APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
- 3 CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
- 4 REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
- 5 COMPANY LOGO.



SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)





SCALE 1:1

APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG


ANY DESIGN CHANGES ON THIS ASSEMBLY MAY
ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN R. VESTAL 15APR2005		 TE Connectivity		SEE TABLES SHEETS 3 THRU 7													
				CHK T. VALASEK 15APR2005				PART NUMBER													
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. VALASEK 15APR2005		NAME 50-WAY HARNESS ASSEMBLY, PCM															
mm				PRODUCT SPEC																	
		0 PLC ±.		APPLICATION SPEC		SIZE A1		CAGE CODE 00779		DRAWING NO C=1438129		RESTRICTED TO -									
		1 PLC ±0.3																			
		2 PLC ±0.10																			
		3 PLC ±.																			
4 PLC ±.		±.1		WEIGHT		-															
ANGLES				CUSTOMER DRAWING				SCALE		1:1		SHEET		OF		10		REF		35	
MATERIAL		FINISH																			
-		-																			


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1° FINISH	PRODUCT SPEC APPLICATION SPEC	SIZE A100779	
MATERIAL	-	WEIGHT	C=1438129	
-	-	CUSTOMER DRAWING	SCALE 2:1 SHEET 2 OF 10 REV F35	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005		 TE Connectivity	
		CMV VALASEK 15APR2005			
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±1°		50-WAY HARNESS ASSEMBLY, PCM	
MATERIAL		PRODUCT SPEC		SIZE	
-		-		CASE CODE	
-		APPLICATION SPEC		DRAWING NO	
-		WEIGHT		A100779C-1438129	
-		CUSTOMER DRAWING		RESTRICTED TO	
-				-	
-				SCALE 1:1	
-				SHEET 3 OF 10	
-				REF 35	

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-M* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005
15APR2005
15APR2005

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3
1 PLC ±0.10
2 PLC ±.1
3 PLC ±.1
4 PLC ±.1
ANGLES ±1°
FINISH -

MATERIAL
-

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, PCM

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
4

OF
10

REV
F35

8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20			
COPYRIGHT 20		BY -		ALL RIGHTS RESERVED.			

REVISIONS				
P.	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R. VESTAL

15APR2005

CHK

T. VALASEK

15APR2005

APVD

T. VALASEK

15APR2005

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

±0.3

±0.10

±

±

±1°

TOLERANCES UNLESS OTHERWISE SPECIFIED:

FINISH

-

-

MATERIAL

-

-

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

NAME

50-WAY HARNESS ASSEMBLY, PCM

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

©=1438129

SCALE

1:1

SHEET


7

OF



10

REV


F35



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-# & 1438950-#












SECTION A-A

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
0 PLC ±0.3	1 PLC ±0.10	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
2 PLC ±0.10	3 PLC ±0.10	APPLICATION SPEC	A100779C=1438129	
4 PLC ±0.10	ANGLES ±1°	WEIGHT	RESTRICTED TO	
MATERIAL	FINISH	CUSTOMER DRAWING	SCALE 1:1 SHEET 9 OF 10 REV F35	

HEADER INTERFACE KEYING OPTIONS

REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity		
DIMENSIONS:		CHK T. VALASEK 15APR2005			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM		
	0 PLC ±0.3	PRODUCT SPEC	SIZE A100779		
	1 PLC ±0.10	APPLICATION SPEC	CAGE CODE C=1438129		
	2 PLC ±0.10	APPROVAL	RESTRICTED TO		
	3 PLC ±0.10	WEIGHT	SHEET 10 OF 10		
	4 PLC ±0.10	CUSTOMER DRAWING	REV F35		
MATERIAL	FINISH	SCALE	1:1		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-1438950-0](#)