



P	LTR	DESCRIPTION	DATE	DWN	APVD
H		REVISED PER ECO-17-013991	22SEP2017	RG	SH






FOR 50 AND 130 POSITIONS ONLY

FOR 40, 60, 68, 80, 100, 120, 140, 160, 180 AND 200 POSITIONS ONLY



SECTION D-D
SCALE 8:1



NOTE:
 1. MATERIAL:
 HOUSING: LCP, UL 94V-0, BLACK COLOR.
 CONTACTS: BRASS.
 BOARDLOCKS: BRASS.
 FINISH:
 CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA,
 3.81µm [150µ"] MIN. MATTE-TIN ON SOLDERTAIL, OVER
 1.27µm [50µ"] MIN. NICKEL UNDERPLATED.
 BOARDLOCKS: 3.81µm [150µ"] MIN. TIN-Cu OVER
 1.27µm [50µ"] MIN. UNDERPLATED.
 3. WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.
 109-202, CONDITION B.
 G, J, H INDICATE NUMBER OF POSITION MARKED ON ASSEMBLY.
 ALSO SEE TABLE.
 GOLD FLASH OVER
 0.762µm [30µ"] MIN. PALLADIUM-NICKEL PLATED.

E1	OBSOLETE	CAGE CODE			GOLD FLASH	PART NUMBER	POS.
		100	200	101			
		136.93 [5.891]	133.13 [5.241]	134.07 [5.278]	0.381µm [15µ"]	5-1734099-8	200
					△	1-1734099-8	
		111.53 [4.391]	107.73 [4.241]	108.67 [4.278]	0.381µm [15µ"]	5-1734099-6	160
					△	1-1734099-6	
		98.83 [3.891]	95.03 [3.741]	95.97 [3.778]	0.381µm [15µ"]	5-1734099-4	140
					△	1-1734099-4	
		86.13 [3.391]	82.33 [3.241]	83.27 [3.278]	0.381µm [15µ"]	5-1734099-2	120
					△	1-1734099-2	
		73.43 [2.891]	69.63 [2.741]	70.57 [2.778]	0.381µm [15µ"]	5-1734099-0	100
					△	1-1734099-0	
		60.73 [2.391]	56.93 [2.241]	57.87 [2.278]	0.381µm [15µ"]	4-1734099-8	80
					△	1734099-8	
		53.11 [2.091]	49.31 [1.941]	50.25 [1.978]	0.381µm [15µ"]	4-1734099-7	68
					△	1734099-7	
		48.03 [1.891]	44.23 [1.741]	45.17 [1.778]	0.381µm [15µ"]	4-1734099-6	60
					△	1734099-6	
		41.68 [1.641]	37.88 [1.491]	38.82 [1.528]	0.381µm [15µ"]	4-1734099-5	50
					△	1734099-5	
		35.33 [1.391]	31.53 [1.241]	32.47 [1.278]	0.381µm [15µ"]	4-1734099-4	40
					△	1734099-4	
		C	B	A	G	J	H

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN F. YANG 31MAR2009
 CHK S. CHIEN 31MAR2009
 APVD W. KODAMA 31MAR2009

TE Connectivity

PLUG ASSEMBLY, R/A,
 BTB, CHAMP .050, SERIES I

108-57876

SIZE A3 CAGE CODE 00779 DRAWING NO C-1734099 RESTRICTED TO

WEIGHT 0 SCALE - SHEET 1 of 5 REV H

CUSTOMER DRAWING

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

REVISIONS




© COPYRIGHT - By -

ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



SECTION D-D
SCALE 8:1



30	60	31	GOLD FLASH	9-1734099-6	
			0.381um[15u"]	8-1734099-6	60
			△	7-1734099-6	
GA	JA	HA	GOLD PLATED	PART NUMBER	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	F. YANG	31MAR2009	 TE Connectivity	
DIMENSIONS: mm		CHK	S. CHIEN	31MAR2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	W. KODAMA	31MAR2009		
0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.2 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC	108-57876			
MATERIAL SEE NOTE		FINISH	SEE NOTE		NAME PLUG ASSEMBLY, R/A, BTB, CHAMP .050, SERIES I	
		WEIGHT	-		SIZE	A3
		CUSTOMER DRAWING	SCALE -		CAGE CODE	00779
					DRAWING NO	C=1734099
					RESTRICTED TO	-
					SHEET	2 of 5
					REV	H

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-


D

D




C

C



B

B



POS.	Q'TY/TUBE	TUBE/BOX	Q'TY/BOX	N/W (KG)	G/W (KG)	PART NUMBER
100	21	16	336	2.60	3.44	5-1734099-0
						3-1734099-0
						1-1734099-0
80	21	16	336	2.15	3.00	4-1734099-8
						2-1734099-8
						1734099-8

A

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -

MATERIAL: _____ FINISH: _____

STE TE Connectivity

PLUG ASSEMBLY, R/A, BTB, CHAMP .050, SERIES I

APVD: _____

PRODUCT SPEC: _____

APPLICATION SPEC: _____

WEIGHT: _____

CUSTOMER DRAWING

SIZE: A3 CAGE CODE: 00779 DRAWING NO: C-1734099 RESTRICTED TO: _____

SCALE: _____ SHEET: 4 of 5 REV: H

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.





© COPYRIGHT - By -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

D

D



POS.	Q'TY/ TRAY	TRAY/ BOX	Q'TY/ BOX	N/W (KG)	G/W (KG)	PART NUMBER		
E1	OBSOLETE	10	10	100	1.40	2.35	5-1734099-8	
							3-1734099-8	
							1-1734099-8	
	160	10	10	100	1.18	2.13	5-1734099-6	
							3-1734099-6	
							1-1734099-6	
E1	OBSOLETE	140	15	10	150	1.59	2.46	5-1734099-4
								3-1734099-4
								1-1734099-4
	120	15	10	150	1.20	2.15	5-1734099-2	
							3-1734099-2	
							1-1734099-2	
	68	30	10	300	1.69	2.64	4-1734099-7	
							2-1734099-7	
							1734099-7	
	60	30	10	300	1.53	2.48	4-1734099-6	
							2-1734099-6	
							1734099-6	
	50	35	10	350	1.58	2.56	4-1734099-5	
							2-1734099-5	
							1734099-5	
	40	45	10	450	1.71	2.66	4-1734099-4	
							2-1734099-4	
							1734099-4	

C

C

B

B


A

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED.

- 0 PLC ± -
- 1 PLC ± -
- 2 PLC ± -
- 3 PLC ± -
- 4 PLC ± -
- ANGLES ± -

MATERIAL

FINISH

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-



NAME
PLUG ASSEMBLY, R/A,
BTB, CHAMP .050, SERIES I

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1734099	-

CUSTOMER DRAWING SCALE - SHEET 5 of 5 REV H

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-1734099-7](#)