



NOTES:

- PERFORM CONTINUITY & HI-POT TESTING.
- PACKAGE INDIVIDUALLY IN HEAT SEALED POLY BAG.
TAG IN BAG WITH "AMPHENOL CONNEX, 135111-07-XX.XX AND DATE CODE".

| | | | | | |
|-------------------|-----|-----------------|-----------|-----|------|
| 135111-07-XX.XX | | REVISIONS | | | |
| DRAWING NO. | REV | DESCRIPTION | DATE | ECO | APPR |
| THIRD ANGLE PROJ. | A | RELEASE TO MFG. | 07-May-10 | -- | CL |



| LENGTH TABLE | |
|-----------------|--------------|
| PART NUMBER | LENGTH (IN.) |
| 135111-07-06.00 | 6.00 |
| 135111-07-12.00 | 12.00 |
| 135111-07-24.00 | 24.00 |
| 135111-07-36.00 | 36.00 |
| 135111-07-48.00 | 48.00 |

DESIGN REQUIREMENTS:

- FREQUENCY _____ TO _____ GHz CONTINUITY
- VSWR _____ : 1 MAX HI-POT : 1000 VRMS
- INS. LOSS _____ dB MAX OTHER

| 009-954-352 | A/R | 4 | HEAT SHRINK TUBE, 3/8" DIA | BLACK |
|-------------|-----|------|-------------------------------|--------|
| 132191 | I | 3 | SMA BLKHD CRIMP JACK | |
| 009-881-447 | A/R | 2 | RG 142, CABLE | |
| 132194 | I | 1 | SMA R/A CRIMP PLUG FOR RG 142 | |
| PART NUMBER | QTY | ITEM | DESCRIPTION | FINISH |

| | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------|------------------------------|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL ±.015 (0,381 mm) 3 PLACE DECIMAL ±.005 (0,127 mm) ANGLES ± 1° | MATERIAL | DRAWN CLEMENT | DATE 07-May-10 | TITLE SMA R/A CRIMP PLUG TO SMA BLKHD CRIMP JACK, USING RG 142 CABLE, XX.XX" LENGTH | Amphenol Connex |
| | REFERENCE | ENGINEER CLEMENT | DATE 07-May-10 | | |
| NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. | | APPROVED | DATE | | SCALE: 1.9:1 SHEET 1 OF 1 |
| | | CAD FILE Root Folder:/Cable assembly/135111-07-XX.XX | DWG SIZE B | DRAWING NO. 135111-07-XX.XX | REV A |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[135111-07-06.00](#) [135111-07-12.00](#) [135111-07-18.00](#) [135111-07-24.00](#) [135111-07-36.00](#) [135111-07-48.00](#)