







RECOMMENDED PC BOARD LAYOUT



NOTES:

1. HOUSING: GLASS-FILLED PCT. UL 94V-0. COLOR: BLACK
2. PIN: PHOSPHOR BRONZE, (0.20)/.008 THICK
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-70181.
4. DIMENSIONS WITHOUT TOLERANCE ARE SHOWN FOR REFERENCE ONLY.
5. 10-CIRCUIT PART SHOWN FOR ILLUSTRATION PURPOSES ONLY.

TOOL 71412-2084 EC NO: UCP2006-0627 G DRWN:MSI BARRA 2005/10/21 CHKD:BBARKER 2005/10/21 APPR:SMILLER 2005/10/24	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 10:1	DESIGN UNITS INCH		THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY	DATE	TITLE					
			4 PLACES	±---	±---	SMR	94/12/08	SALES ASSY, DUAL ROW VERTICAL MOUNT W/PEGS LOW PROFILE SMT				
			3 PLACES	±---	±---	CHECKED BY	DATE					
			2 PLACES	±---	±---	SMR	94/12/08					
			1 PLACE	±---	±---	APPROVED BY	DATE					
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SDA-71412-0001-5000		1 OF 4						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

4	G
3	F
2	F
1	G
SHT	REV

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[71412-0076](#)