


# Innovative **Technology** for a **Connected** World



PN 3535, 3536



CA19 is a product having a high volume percentage of shaped magnetic particles in a halogen-free and lead-free polymeric binder, having better magnetic properties than conventional products. It provides excellent EMI reduction at low frequencies.


#### **FEATURES**

- Halogen-free, Lead-free
- Flame-resistance UL94 V-0
- Absorption performance from 50 MHz to 3 GHz
- Available sheet ranging .006" and .020" thickness
- High flexibility and applicable for any optional shape
- Pressure sensitive adhesive for ease of application
- Can be die-cut to specific shapes

PART NO.	DIMENSIONS
3535	.020" x 12" x 13"
3535-S	.020" x 4" x 6"
3536	.020" x 12" x 13"
3536-S	.020" x 4"x 6"

#### **SPECIFICATIONS**

EVALUATION ITEM	CA19
Permeability μ' (1MHz)	37
Electrical resistivity ( $\Omega$ / $\Box$ )	6 x 10 <sup>10</sup>
Specific gravity	3.1
Tensile strength (MPa)	1.9
Hardness (DurometerA)	$70 \pm 10\%$
Thermal conductivity (W / mk)	1.0
Flammability	UL94 V-0



### global solutions: local support ™

USA: +1.866.928.8181 Europe: +49.0.8031.2460.0 Asia: +86.755.2714.1166

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird:

3535-S 3536-S