



REVERSE FIBER PATH



| MTP® LEFT<br>FIBER # |               | MTP® RIGHT<br>FIBER # |
|----------------------|---------------|-----------------------|
| 1                    | ↔             | 12                    |
| 2                    | ↔             | 11                    |
| 3                    | ↔             | 10                    |
| 4                    | ↔             | 9                     |
| 5                    | NOT CONNECTED | 8                     |
| 6                    | NOT CONNECTED | 7                     |
| 7                    | NOT CONNECTED | 6                     |
| 8                    | NOT CONNECTED | 5                     |
| 9                    | ↔             | 4                     |
| 10                   | ↔             | 3                     |
| 11                   | ↔             | 2                     |
| 12                   | ↔             | 1                     |



- NOTES:
- 1 MAXIMUM CONNECTOR INSERTION LOSS (850nm):  
0.5dB + 3.5dB/km. SEE TABLE.  
FIBER POSITIONS 5, 6, 7, AND 8  
ARE INACTIVE AND NOT TESTED.
  - 2 STANDARD TRACE LABEL TO BE APPLIED AT BOTH ENDS.
  - 3. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS  
OF TEC-138-702.

MTP® CONNECTOR FIBER PATH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
METERS [INCHES]

MATERIAL

-

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

|        |   |   |
|--------|---|---|
| 0 PLC  | ± | - |
| 1 PLC  | ± | - |
| 2 PLC  | ± | - |
| 3 PLC  | ± | - |
| 4 PLC  | ± | - |
| ANGLES | ± | - |
| FINISH | - | - |

DWN  
K.GLATFELTER  
15JAN2009

CHK  
J.BARRY  
15JAN2009

APVD  
J.BARRY  
15JAN2009

PRODUCT SPEC  
-

APPLICATION SPEC  
-

WEIGHT  
-

CUSTOMER DRAWING

TE Connectivity

NAME  
CABLE ASSEMBLY, FIBER OPTIC, QSFP, OM3  
3mm ROUND CABLE, OFNP, MTP®W/NO PINS,  
REVERSED PATH

SIZE  
A2

CAGE CODE  
00779

DRAWING NO  
C=1938323

RESTRICTED TO  
-

SCALE  
NTS

SHEET  
1 OF 2

REV  
D



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1938323-6](#)