

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

F3

REVISED PER ECO-13-015432

01OCT2013

KH

MM

MATERIALS:

HOUSING: POLYAMIDE, UL94V-0, BLACK.

TERMINALS: COPPER ALLOY, TIN PLATED.

SCREWS: STEEL, ZINC PLATED.

ELECTRICAL:

RATING: 20A, UL & CSA.

MECHANICAL:

WIRE RANGE: 12-22 AWG.

MAXIMUM TIGHTENING TORQUE: 7 IN-LBS.

ENVIRONMENTAL:

CONTINUOUS OPERATING TEMP.: -40°C TO +105°C.



PRELIMINARY PART NUMBER.



SCREWS ARE BOTTOMED, NO THREAD INTERRUPT.



OBSOLETE PART NUMBER.




CAPTIVE SCREWS BACKED OUT TO 1.3 IN-LB TORQUE.



OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI





SCREWS ARE NICKEL PLATED BRASS



OBSOLETE

796922-6



SEE FIGURE




OBSOLETE



OBSOLETE




OBSOLETE



OBSOLETE



OBSOLETE



OBSOLETE

SEE DETAIL

SEE DETAIL



OBSOLETE




OBSOLETE




OBSOLETE


796922-7



1-796922-8



1-796922-9



RECOMMENDED PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S SCHLEGEL 03JUN03

CHK H WAKEEM 6/3/03

APVD H WAKEEM 6/3/03

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

SCALE

NTS

SHEET

1 OF 2

REV F3



TE Connectivity

NAME

NC6-P108-XX ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-3

1-1437664-0

-

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT — By —

	LOC
--	-----

FT

	DIST
--	------

0

REVISIONS

	F
--	---

LTR

DESCRIPTION

DATE _____




	DWN
--	-----

	APVD
--	------

SEE SHEET 1


—

—



1-796922-7

9.061	24	NC6-P108-24	5-1437664-7
8.686	23	NC6-P108-23	796922-5
8.311	22	NC6-P108-22	5-1437664-6
7.936	21	NC6-P108-21	796922-4
7.561	20	NC6-P108-20	5-1437664-5
7.186	19	NC6-P108-19	5-1437664-4
6.811	18	NC6-P108-18	5-1437664-3
DIM A	NO OF POS	CATALOG NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL		03JUN03		TE Connectivity							
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK H WAKEEM		6/3/03		NAME					
		0 PLC ± — 1 PLC ± — 2 PLC ± .01 3 PLC ± .005 4 PLC ± — ANGLES ± —		APVD H WAKEEM		6/3/03							
				PRODUCT SPEC —									
MATERIAL —		FINISH —		APPLICATION SPEC —		NC6-P108-XX ASSEMBLY							
				WEIGHT —		SIZE A3		CAGE CODE 00779		DRAWING NO C-3-1437664-0		RESTRICTED TO —	
CUSTOMER DRAWING								SCALE NTS		SHEET 2 OF 2		REV F3	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-796922-6](#) [1-796922-8](#) [1-796922-9](#)