




LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
DF	DO	-	-	SEE SHEET 1	-	-




RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 3 (25 POSITION) ⚠




SHELL SIZE 3
CONTACT CONFIGURATION
BOARDLOCK REMOVED
FOR CLARITY



SHELL SIZE 5
CONTACT CONFIGURATION
BOARDLOCK REMOVED
FOR CLARITY



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 5 (50 POSITION) ⚠



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 5-1-00	TE Connectivity	
DIMENSIONS: INCHES		CHK C.BAKER 5-1-00		
		APVD C.BAKER 5-1-00	NAME PLUG ASSY,AMPLIMITE RIGHT ANGLE,SERIES 109, WITH ONE PIECE INSERT	
		PRODUCT SPEC		
MATERIAL SEE CALLOUTS		WEIGHT —	SIZE A1	RESTRICTED TO —
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	CAGE CODE 00779	REV H
0 PLC ± .0005 1 PLC ± .0005 2 PLC ± .0005 3 PLC ± .0005 4 PLC ± .0005 ANGLES ± .1°		—	DRAWING NO 1218538	SHEET 2 OF 2
CUSTOMER DRAWING		SCALE 4:1		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1218538-3](#)