



# Bestückungsplan - *contact layout*





■ = bestückt - *assemble*




EE-Zone für durchkontaktierte Löcher  $\varnothing 0.6 \pm 0.05$

Compliant zone for thru hole  $\varnothing 0.6 \pm 0.05$



Lochbild für Leiterplatte  
(Bestückungsseite)

Board hole pattern  
(Component mounting side)



- 1)  $\varnothing 0.6 \pm 0.05$  Durchmesser des metallisierten Loches  
 $\varnothing 0.6 \pm 0.05$  Diameter of finished plated-through hole
- $\varnothing 0.7 \pm 0.02$  Bohrungsdurchmesser des Loches  
 $\varnothing 0.7 \pm 0.02$  Diameter of drilled hole



Schichtaufbau im metallisierten Loch  
siehe Zeichnung 114406

Metal plating of plated-through hole  
see drawing 114406

Fehlende Masse und Angaben nach IEC 61076-4-101  
Missing information and dimensions per IEC 61076-4-101

Bedruckung siehe Zeichnung 401194  
Marking see drawing 401194

Consider protection memo from DIN 34

Information: BA 2			Tolerances  All Dimensions in mm		Scale 2:1	
All rights reserved. Only for information. To insure that this is the latest version of this drawing, please contact one of the ERNI companies before using.			Subject to modification without prior notice. Drawing will not be updated.		Designation  ERmet Federleiste C <i>ERmet Female Type C</i>	
			 www.ERNI.com		354149	1
c		02.06.2010	V:00069854 SZA		ERM C	
Index		Date				

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[ERNI Electronics:](#)

[354145](#) [104732](#) [114437](#) [354149](#) [104735](#) [114015](#) [364297](#) [044766](#) [914084](#) [914692](#)