

REVISIONS				
LOC	DIST	REV	DATE	APVD
A1	-			
DESCRIPTION			DATE	OWN
SEE SHEET 1 OF 2				

POSITIONS Polzahl	n	a±0.2	b	c	d _{-0.2}	e _{-0.25}	f	CODING Kodierung	CAVITY NUMBERING Kammerbezeichnung	ORDER NO. Bestell-Nr.	REV.	ORDER NO. Bestell-Nr.	REV.	WEIGHT Gewicht	POS.	QTY Stueck	DESCRIPTION Benennung Einzelteil	MATERIAL Werkstoff	FINISH Oberflaeche	COLOUR/ Farbe
21	6	38.5	30	45	42.5	38.5	36.5	B (GROOVES) Nuten A-C		5-966140-6 A		4-966140-6 A		18.3g	4	7	TAB (43.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED	
															3	7	TAB (34.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED	
18	5	33.5	25	40	37.5	33.5	31.5	A (GROOVES B-C) (Nuten B_C)		6-966140-6 C		3-966140-6 C		18.3g	2	7	TAB (25.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED	
															4	7	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
15	4	28.5	20	35	32.5	28.5	26.5	A (GROOVES B-C) (Nuten B_C)		6-966140-1 C		3-966140-1 C		16.0g	3	7	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
															2	7	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
12	3	23.5	15	30	27.5	23.5	21.5	A (GROOVES B-C) (Nuten B_C)		6-966140-2 C		3-966140-2 C		13.6g	1	1	21 POS. HOUSING	PA66-GF13	BLACK/schwarz	
															4	5	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
9	2	18.5	10	25	22.5	18.5	16.5	A (GROOVES B-C) (Nuten B_C)		6-966140-3 C		3-966140-3 C		11.2g	3	6	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
															2	6	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
6	1	13.5	5	20	17.5	13.5	11.5	A (GROOVES B-C) (Nuten B_C)		6-966140-4 C		3-966140-4 C		8.9g	5	1	12 POS. HOUSING	PA66-GF13	NATURAL/natur	
															4	3	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
								A (GROOVES B-C) (Nuten B_C)		6-966140-5 C		3-966140-5 C		6.6g	3	3	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
															2	3	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
														1	1	9 POS. HOUSING	PA66-GF13	BLACK/schwarz		
														4	2	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED		
														3	2	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED		
														2	2	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED		
														1	1	6 POS. HOUSING	PA66-GF13	BLACK/schwarz		

POSITIONS Polzahl	n	a±0.2	b	c	d _{-0.2}	e _{-0.25}	f	CODING Kodierung	CAVITY NUMBERING Kammerbezeichnung	ORDER NO. Bestell-Nr.	REV.	ORDER NO. Bestell-Nr.	REV.	WEIGHT Gewicht	POS.	QTY Stueck	DESCRIPTION Benennung Einzelteil	MATERIAL Werkstoff	FINISH Oberflaeche	COLOUR/ Farbe
21	6	38.5	30	45	42.5	38.5	36.5	B (GROOVES) Nuten A-C		8-966140-6 A		1-966140-6 A		18.3g	4	7	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
															3	7	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
18	5	33.5	25	40	37.5	33.5	31.5	A (GROOVES B-C) (Nuten B_C)		9-966140-6 F		966140-6 F		18.3g	2	7	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
															1	1	21 POS. HOUSING	PA66-GF13	BLACK/schwarz	
15	4	28.5	20	35	32.5	28.5	26.5	A (GROOVES B-C) (Nuten B_C)		9-966140-1 F		966140-1 F		16.0g	4	6	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
															3	6	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
12	3	23.5	15	30	27.5	23.5	21.5	B (GROOVES) Nuten A-C		9-966140-2 F		966140-2 F		13.6g	2	6	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
															1	1	15 POS. HOUSING	PA66-GF13	BLACK/schwarz	
9	2	18.5	10	25	22.5	18.5	16.5	A (GROOVES B-C) (Nuten B_C)		8-966140-3 A		1-966140-3 A		11.2g	4	4	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
															3	4	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
6	1	13.5	5	20	17.5	13.5	11.5	A (GROOVES B-C) (Nuten B_C)		9-966140-3 F		966140-3 F		11.2g	4	4	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
															3	4	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
								A (GROOVES B-C) (Nuten B_C)		9-966140-4 F		966140-4 F		8.9g	2	4	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
															1	1	12 POS. HOUSING	PA66-GF13	BLACK/schwarz	
								A (GROOVES B-C) (Nuten B_C)		9-966140-4 F		966140-4 F		8.9g	4	3	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
															3	3	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
								A (GROOVES B-C) (Nuten B_C)		9-966140-5 F		966140-5 F		6.6g	2	3	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
															1	1	9 POS. HOUSING	PA66-GF13	BLACK/schwarz	
														4	2	TAB (43.4mm)	CuSn4	TINNED/verzinkt		
														3	2	TAB (34.4mm)	CuSn4	TINNED/verzinkt		
														2	2	TAB (25.4mm)	CuSn4	TINNED/verzinkt		
														1	1	6 POS. HOUSING	PA66-GF13	BLACK/schwarz		

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: mm. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 1 PLC ±, 2 PLC ±, 3 PLC ±, 4 PLC ±, ANGLES ±0.2°. MATERIAL: SEE PARTS LIST. FINISH: SEE PARTS LIST.

OWN: Mahlike, B. 160CT2014. CHK: Krauss, S. 170CT2014. APVD: Goepfel, C. 200CT2014. PRODUCT SPEC: APPLICATION SPEC.

STE TE Connectivity

NAME: TAB HEADER, 2.8x0.8, 6-21 POS. Messerleiste, 2.8x0.8, 6-21 pol.

SIZE: A1. CAGE CODE: 00779. DRAWING NO: C=966140. RESTRICTED TO: Customer Drawing. SCALE: 2:1. SHEET: 2 OF 2. REV: F10.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-966140-6](#)