

DATE	REV	ECN	APP'D. BY	
2-29-16	A6	10573	TRM	
10-5-16	A7	10778	TRM	


В

A

NOTES:

- 1. CONNECTOR MATERIALS: HOUSING: THERMOPLASTIC UL94 V-0 CONTACTS/SHIELD: COPPER ALLOY SHIELD PLATING: NICKEL OR TIN CONTACT PLATING: SELECTIVE GOLD IN CONTACT AREA SEE CHART FOR PART NUMBER
- 2. FOR PRODUCT SPECIFICATIONS SEE PR022-01.
- 3. DIMENSIONS AND TOLERANCES COMPLY WITH TIA-1096 STANDARD.
- 4. THE SUGGESTED PANEL OPENING IS INTENDED TO GIVE USER THE ABILITY TO HAVE REASONABLE JACK/PANEL CLEARANCES, YET MAINTAIN GROUNDING CAPABILITY. THESE VARIABLES CAN BE ADJUSTED IN EITHER DIRECTION BUT MAY CARRY SOME CONSEQUENCES IN THE FORM OF LOWER MATING FORCES OR TIGHTER ASSEMBLY TOLERANCES.
- 5. DESIGNED FOR CATEGORY 5/5e APPLICATIONS.

HES [0.76um]	SS71800-049F							
PLATING G AREA	PART NUMBER							
Image: Straight of the straight								
NE PIECE SHIELDED, ESD GROUNDED CB HARMONICA CAT 5/5e JACK PAC								
HE SUBJECT MATTER SHOWN THEREON ND THE PROPRIETARY PROPERTY OF		DRN BY:	KRL	date 3/20/06				
R AND SHALL NOT BE REPRODUCED, ANY MANNER WITHOUT PRIOR WRITTEN CONNECTOR. ONE OR MORE U.S. PATENTS	APPD BY:	TRM	date 3-21-06					
S PRODUCT. FOR DETA SE.COM/STEWART/STEWA	LS, PLEASE	DWG NO.	CT7100	46F REV. A7				
AutoCAD								



В

2

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Bel: SS71800-049F