








LOC	DIST	REVISIONS				
FX	00	P	LTR	DESCRIPTION	DATE	DWN APVD
			O	RELEASED PER NPR 99026	09SEP99	JRB RAS
			A	REV PER EC 0K80-0155-99	18NOV99	JRB RAS
			A1	REV PER EC 0K80-0153-03	23MAY2003	DJA CBP
			A2	REV PER EC 0K80-0181-03	23MAY2003	DJA CBP

- 1 DIMENSION MUST BE HELD BETWEEN -Z- AND 2mm FROM -Z-
- 2 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
3. THE MATING PLUG PART NUMBER IS 917981
- 4 DATE CODE
5. RECOMMENDED MOUNTING SCREW, 3mm DIA X 6mm LG, PAN HEAD, CLASS 2 TAPPING SCREW AS SPECIFIED IN JIS B1115 AND B1112. TIGHTENING TORQUE 4kg-cm MAX.




DETAIL BB
SCALE 5:1

SECTION AA-AA
(.040 TABS)

TIN	BRASS	BLACK	PBT	9-638256-2
CONTACT FINISH	CONTACT MATERIAL	COLOR	HOUSING MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN Y. PETERSON 26MAY99	AMP AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK M. MENDYK 26MAY99		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. MENDYK 26MAY99		
mm		PRODUCT SPEC		
0 PLC ±		108-5342	NAME ASSY, VERT. MOUNT 16POS 040 HYBRID W/SCREW HOLES	
1 PLC ±0.3		APPLICATION SPEC		
2 PLC ±0.15		-	SIZE A2	CAGE CODE 00779
3 PLC ±		WEIGHT 7.0GR	DRAWING NO C-638256	RESTRICTED TO -
4 PLC ±		CUSTOMER DRAWING	SCALE 2:1	SHEET 1 OF 2
ANGLES ±°				REV A2
FINISH SEE TABLE				



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[9-638256-2](#)