

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			B1	REVISED ECR-07-028230	26NOV07	A,L	S,Y

D


C

B


A



SECT B-B




SECT A-A



- NOTES:
- ① USE WITH: MT REC CONN P/N: X-353293-X
CRIMP HSG P/N: X-353908-X
CRIMP CONT P/N: 353907-1
353918-1(L/P)
 - ② USE WITH POWER CONTACT P/N: 1123907-1 (NOT ASSEMBLED WHEN SHIPPED)
 - ③ MATERIAL:
HOUSING: GLASS FILLED THERMOPLASTIC, UL94V-0, GRAY
SIGNAL CONTACT: BRASS
 - ④ FINISH (SIGNAL CONTACT):
NICKEL UNDERPLATE ALL OVER
LATTICE MATING AREA: GOLD PLATE
MINI CT MATING AREA: MATTE TIN PLATE
 - ⑤ LOCATION OF DATE CODE: AABBCD(N)
(AA: YEAR, BB: WEEK, C: DAY OF WEEK, D: DAYTIME, N: NIGHT)

11.3	25.82	3.75	4.25	34.7	33.7	45.7	53.7	C	14(6+8)	4	5-292246-4
11.3	25.82	3.75	4.25	34.7	33.7	45.7	53.7	B	14(6+8)	4	3-292246-4
11.3	25.82	2.05	2.55	34.7	33.7	45.7	53.7	A	14(6+8)	4	1-292246-4
WEIGHT (g)	G	F	E	D	C	B	A	KEY TYPE	SIGNAL POSITION	POWER POSITION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN J. JIANG 05FEB03	Tyco Electronics Corporation Shanghai, PRC 200233	
DIMENSIONS: mm				CHK S. Y 05FEB03		
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD T. SASAKI 05FEB03	NAME	
0 PLC ± -				PRODUCT SPEC		
1 PLC ± -				108-60028	SIZE CAGE CODE DRAWING NO	
2 PLC ± -				APPLICATION SPEC		
3 PLC ± -				114-5256	A2 00779 C=292246	
4 PLC ± -				WEIGHT		
ANGLES ± -				CUSTOMER DRAWING	SCALE NTS SHEET 1 OF 3 REV B1	
FINISH						
MATERIAL SEE NOTE						
SEE NOTE						




This technical drawing is a cross-sectional view of a complex mechanical assembly. It features a central horizontal shaft or plug with a series of internal grooves and steps. This central component is surrounded by multiple concentric layers or rings. The top layer appears to be a thick, solid housing. Below this, there are several thinner layers, some of which have internal features like grooves or recesses. The bottom layer is another thick housing. The assembly is shown in a cross-section, with hatching used to differentiate the various materials or components. The overall structure suggests a seal or a valve mechanism where the central shaft interacts with the surrounding layers to control flow or pressure.

13.0	31.82	6.75	7.25	40.7	39.7	51.7	59.7	C	22<10+12>	4	6-292246-2
13.0	31.82	6.75	7.25	40.7	39.7	51.7	59.7	B	22<10+12>	4	4-292246-2
13.0	31.82	5.05	5.55	40.7	39.7	51.7	59.7	A	22<10+12>	4	2-292246-2
WEIGHT (g)	G	F	E	D	C	B	A	KEY TYPE	SIGNAL	POWER	PART NUMBER
									POSITION	SIZE	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 Tyco Electronics Corporation Shanghai ,PRC 200233			
		CHK					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY FOR AMP 1.5 PITCH MINI CT HYBRID LATTICE CONNECTOR			
mm		APVD					
		PRODUCT SPEC					
		—					
		APPLICATION SPEC					
		—					
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A2	00779	C-292246	—
CUSTOMER DRAWING				SCALE	SHEET		REV
				N.TS	2 of 3		R1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
—	—	—	—	SEE SHEET 1	—	—



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	-
1 PLC	±	-
2 PLC	±	-
3 PLC	±	-
4 PLC	±	-
ANGLES	±	-
FINISH		

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

Tyco Electronics Corporation
Shanghai ,PRC 200233

NAME

RECEPTACLE ASSEMBLY
FOR AMP 1.5 PITCH MINI CT
HYBRID LATTICE CONNECTOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

C=292246

SCALE

NTS

SHEET

3 OF 3

REV

B1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-292246-4](#)