




LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					S10	REVISED PER ECO-09-009758	23APR2009	DLD	DCM
					S11	REVISED PER ECO-09-028550	29DEC2009	DLD	DCM




KEYING OPTION "A"
1438082-1 ³



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2 ³




- ³ MATERIAL:
HARNESS - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
³ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
⁴ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

³ SEE PINOUT CHARTS
PART NUMBER

TYCO ELECTRONICS CORPORATION 1111 BROADVIEW AVENUE HARRISBURG, PA 17105-3608 TEL: 717/560-1000 FAX: 717/560-1001 WWW.TYCOELECTRONICS.COM		DWN R. VESTAL 01AUG2003 CHK D. STRAUSSER 01AUG2003 APVD D. STRAUSSER 01AUG2003	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 2 PLC ±0.10 3 PLC ±.10 4 PLC ±.10 ANGLES ±°	NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL SEE TABLE		FINISH SEE TABLE	SIZE A1 00779 C=1438082	
		WEIGHT -	RESTRICTED TO -	
		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 5 REV S11	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-


	45	43			39	37	36	35			31					24						18	17	16		14	13	12			9		7	6			2	1	9-1438082-7	2LIT-14A464-SD-051				
			42																		20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050			
			42																		20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049			
			42																		20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048		
								35						27																										9-1438082-3	2LIT-14A464-SD-047			
	45	43					36	35			32	31				24		21		19	18	17	16		14	12							7	6					1	9-1438082-1	2LIT-14A464-SD-046			
46											31																														9-1438082-0	2LIT-14A464-SD-045		
											31					24								16										8					3	2	8-1438082-9	2LIT-14A464-SD-044		
														27																											8-1438082-8	2LIT-14A464-SD-043		
	45	44	43	42		40	38	37	36		33	31		29		24	22		20		18	17	16	15							9	8					3		8-1438082-7	2LIT-14A464-SD-042				
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		19	18	17	16	15							9	8		6			2		8-1438082-6	2LIT-14A464-SD-041			
46											31																								9			6			3	8-1438082-5	2LIT-14A464-SD-040	
			43	42		39	37												20	19	18								11	10	9								2	1	8-1438082-4	2LIT-14A464-SD-039		
			43								31		29									18																			8-1438082-3	2LIT-14A464-SD-038		
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15								9	8					2		8-1438082-0	2LIT-14A464-SD-037			
	45		43						36	35			31			24							16		14	12								7	6				2	1	7-1438082-9	2LIT-14A464-SD-036		
	45		43						36	35			31			24		21		19			16		14	12								7	6				2	1	7-1438082-8	2LIT-14A464-SD-035		
			43	42		39	38	37				32			28						19	18	17	16						10	9										7-1438082-5	2LIT-14A464-SD-034		
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8		6				2		7-1438082-4	2LIT-14A464-SD-033			
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15								9	8		6				2		7-1438082-3	2LIT-14A464-SD-032		
					40									29																			9								6-1438082-6	2LIT-14A464-SD-031		
																																										6-1438082-3	2LIT-14A464-SD-030	
																																										6-1438082-2	2LIT-14A464-SD-029	
																																										6-1438082-1	2LIT-14A464-SD-028	
														29	28		25			21			18	16																		5-1438082-6	2LIT-14A464-SD-027	
														29	28		25			21				16																			5-1438082-5	2LIT-14A464-SD-026
													30	29					21				18	16																			5-1438082-2	2LIT-14A464-SD-025
			43	42		39	37													20	19	18	17		15	14			11	10	9	8	7				4	3	2	1	5-1438082-0	2LIT-14A464-SD-024		
			42																						15	14			11	10	9	8	7					4	3		4-1438082-9	2LIT-14A464-SD-023		
			43	42		39	37													20	19	18	17					11	10	9									2	1	4-1438082-8	2LIT-14A464-SD-022		
			42																									11	10	9											1	4-1438082-7	2LIT-14A464-SD-021	
			43	42		39	37																					11	10	9											2	4-1438082-2	2LIT-14A464-SD-020	
	45	43						36	35			31				24						18	17	16		14	12								7	6				2	1	4-1438082-0	2LIT-14A464-SD-019	
			43	42		39	37										23			20	19	18	17		15	14		11	10	9	8	7					4	3	2	3-1438082-8	2LIT-14A464-SD-018			
			42															23							15	14		11	10	9	8	7						4	3		3-1438082-7	2LIT-14A464-SD-017		
			43	42		39	37											23		20	19	18	17	16				11	10	9										2	3-1438082-6	2LIT-14A464-SD-016		
			42															23										11	10	9												3-1438082-5	2LIT-14A464-SD-015	
	45	43			39	37	36	35			31					24		21		19	18	17	16		14	13	12					9		7	6				2	1	3-1438082-4	2LIT-14A464-SD-014		
	45	43			39	37	36	35		33	31					25	24		21		19	18	17	16		14	13	12					9		7	6			2	1	3-1438082-3	2LIT-14A464-SD-013		
	45	43						36	35			31					24		21		19	18	17	16		14	12							7	6					2	1	3-1438082-2	2LIT-14A464-SD-012	
			42																						15	14	13			10	9	8	7					4	3		3-1438082-1	2LIT-14A464-SD-011		
			43	42		39	37													20	19	18	17			13			10	9										2	3-1438082-0	2LIT-14A464-SD-010		
			42																							13			10	9												2-143808		

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
	44								35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37				29					20	18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43							38		36					25	24					18	17	16		14	12			7	6			2	1	5-1438735-0	2LIT-14A464-SD-082															
45		43							38		36					25	24							16		14	12			7	6			2	1	4-1438735-9	2LIT-14A464-SD-081															
45		43							38		36		32	31			25	24		21	19	18	17	16		14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080																
45		43							39	38	37	36			31			25	24				18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079														
				42															20	18				13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078															
				42															20	18				13	11	10									1	3-1438735-7	2LIT-14A464-SD-077															
45		43							39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076														
45		43											31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075															
			43	42		40	39		37				29						20	18			15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074														
45		43							39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073														
45		43											31				25	24		21	20	19	18	17	16		14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072														
45		43							39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071													
45		43											31				25	24		21	20	19			16		14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43							39	38	37	36			31			25	24		21	20	19		16		14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069														
45		43											31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068															
											33															13								6	5			2-1438735-5	2LIT-14A464-SD-067													
45	44	43	42		40				38	37	36		33	31				24	22	21	20		18	17	16	15				9	8					2	2-1438735-4	2LIT-14A464-SD-066														
			43										31		29							18								8						2	2-1438735-1	2LIT-14A464-SD-065														
45		43											31				25	24		21					16		14	12			7	6				2	1	2-1438735-0	2LIT-14A464-SD-064													
45		43							39	38	37	36	35		31			25	24					18	17	16		14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063												
45		43											31				25	24		21	19	18	17	16		14	12			7	6					1	1-1438735-8	2LIT-14A464-SD-062														
45		43											31				25	24							16		14	12			7	6				2	1	1-1438735-7	2LIT-14A464-SD-061													
45		43											31				25	24		21	19			16		14	12			7	6				2	1	1-1438735-6	2LIT-14A464-SD-060														
45		43											31				25	24					18	17	16		14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059														
45		43							39	38	37	36	35		31			25	24		21	19	18	17	16		14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058													
45		43											31				25	24		21	19	18	17	16		14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057														
				42															20	18			15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056														
45		43											31					24		21	19			16		14	12			7	6					1	1-1438735-1	2LIT-14A464-SD-055														
												35						27																		3		1-1438735-0	2LIT-14A464-SD-054													
			43										31		29								18						9	8						2		1438735-9	2LIT-14A464-SD-053													
												35						27												7							1438735-8	2LIT-14A464-SD-052														
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS THE BUYER'S RESPONSIBILITY TO CONTACT THE SELLING ORGANIZATION TO OBTAIN THE LATEST EDITION.

DIMENSIONS:
mm



MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
9 PLC ±.3
1 PLC ±0.10
5 PLC ±.
4 PLC ±.
ANGLES ±°
FINISH -

WEIGHT
-

DWN
R. VESTAL 01AUG2003
CHK
D. STRAUSSER 01AUG2003
APVD
D. STRAUSSER 01AUG2003

NAME
46 WAY PCM
CONNECTOR HARNESS ASSEMBLY

SIZE
A

CAGE CODE
00779

DRAWING NO
C=1438082

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
4:1

SHEET
3

OF
5

REV
S

 Tyco Electronics
Harrisburg, PA 17105-3608

46 WAY PCM
CONNECTOR HARNESS ASSEMBLY

C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1438735-1](#)