


PART NUMBER	ITEM ① SHROUD BODY	ITEM ② INSULATOR	ITEM ③ PIN
127-0711-601	KOVAR GOLD PL .00005 MIN OVER NICKEL PL	GLASS, CORNING 7070 OR EQUIVALENT	KOVAR GOLD PL .00005 MIN OVER NICKEL PL

DRAWING NO. B-127-0711-601/610	
0	REVISIONS
ENGINEERING RELEASE	
1	1-4-07 PAT JRK JCN 1-18-07 ECN 50860



CUSTOMER DRAWING

THIS DRAWING TO BE INTERPRETED
PER ASME Y 14.5M - 1994

" μ STATION"

COMPANY CONFIDENTIAL

NOTES:

- SPECIFICATIONS:
 - ELECTRICAL:
 - IMPEDANCE: 50 OHMS NOMINAL
 - FREQUENCY RANGE: DC TO 18 GHZ
 - VSWR: DEPENDANT ON APPLICATION
 - ENVIRONMENTAL:
 - HERMETICITY: 1×10^{-8} cc/sec AT ONE ATMOSPHERE
 - SOLDERABILITY: MEETS REQUIREMENTS OF MIL-STD-202G, TEST METHOD 208H.
 - OPERATING TEMPERATURE: -55 DEG C TO +165 DEG C

TOLERANCE UNLESS OTHERWISE SPECIFIED		DRAWN BY PAT	DATE 11-21-06
DECIMALS	mm	CHECKED BY JRK	DATE 1-18-07
.XX	_____	APPROVED BY JCN	DATE 1-18-07
.XXX $\pm .003$	_____	RELEASE DATE	1-18-07
MATL	_____	U/M	INCH
FINISH	_____	SCALE	15:1

cinch
CONNECTIVITY SOLUTIONS
a bel group

Cinch Connectivity Solutions
P.O. Box 1732
Waseca, MN 56093
1-800-247-8256

TITLE
SMP FULL DETENT
STRAIGHT FEEDTHRU SHROUD
HERMETIC SEALED PIN CONTACT

SHEET
2 OF 2

DRAWING NO.
B-127-0711-601/610

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cinch Connectivity Solutions:](#)

[127-0711-601](#)