

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0						
			D1	REVISED PER ECO-11-012036	13JUN11	HMR	DR

D

C

B


A

D

C

B

A



- 1

3.81um [.000150] MIN TIN-LEAD OVER 1.27um [.000050] MIN NICKEL.
- 2

2.54um [.000100] MIN TIN-LEAD OVER COPPER FLASH.
- 3

0.76um [.000030] MIN GOLD FOR A LENGTH OF 2.54 [.100]  
MIN FROM MATING END, 3.81um [.000150] MIN TIN-LEAD  
ON OPPOSITE END FOR A LENGTH OF 3.96 [.156] MIN,  
BOTH OVER 1.27um [.000050] MIN NICKEL.
- 4


CONTACTS ARE RECESSED 0.76 [.030] MINIMUM.
- 5

3.81um [.000150] MIN TIN OVER 1.27um [.000050] MIN NICKEL.
- 6

2.54um [.000100] MIN TIN OVER COPPER FLASH.
- 7

0.76um [.000030] MIN GOLD FOR A LENGTH OF 2.54 [.100]  
MIN FROM MATING END, 3.81um [.000150] MIN TIN ON  
OPPOSITE END FOR A LENGTH OF 3.96 [.156] MIN, BOTH OVER  
1.27um [.000050] MIN NICKEL.
- 8

OBSOLETE PART



5	6	7	213819-2
1	2	3	213819-1
HARDWARE FINISH		UNIT FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.BROCKWAY 09-21-94	TE Connectivity	
		CHK R.STONE 09-23-94		
DIMENSIONS: mm [INCHES]		APVD -	NAME	
		PRODUCT SPEC	RECEPTACLE ASSEMBLY, 59 POSN, W/ THREADED INSERT & BOARDLOCKS, M SERIES	
		APPLICATION SPEC		
MATERIAL SEE CALLOUTS		WEIGHT -	SIZE A2	CAGE CODE 00779
FINISH SEE CALLOUTS		CUSTOMER DRAWING	DRAWING NO C-213819	RESTRICTED TO -
		SCALE 2:1	SHEET 1 of 1	REV D1

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[213819-2](#)