

2					1	1						
	LOC	DIST			REVISIONS							
	AD	47	P	LTR	DESCRIPTION	DATE	DWN	APVD				
		•		B1	REVISED PER ECO-12-007590	23JUL12	КН	MH				

CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 2 PERFORMANCE REQUIREMENTS OF TE PRODUCT

	3.000[76.2]	6	3.450[87.63]	3.89	98[99]	4.0	000[10	01.6]	26	66	576	7056-7
	2.500[63.5]	5	2.950[74.93]	3.398	8[86.31]] 3.	.500[8	8.9]	22	28	576	7056-6
	2.000[50.8]	4	2.450[62.23]	2.898	3[73.61]] 3.	.000[7	6.2]	19	90	576	7056-5
	1.500[38.1]	3	1.950[49.53]		3[60.91]] 2.	.500[6	3.5]	15	52	576	7056-4
	1.000[25.4]	2	1.450[36.83]		8[48.21]	_	.000[5	0.8]	11	4	576	7056-3
	.500[12.7] 1		.950[24.13]	8[35.51] 1.500			38.1]		76 57		67056-2	
	.000[0]	.000[0] 0		.898	[22.81]	1.	000[2	5.4]	3	8	576	7056-1
	E	D C			В		А		NO PC			PART IMBER
	ING IS A CONTROLLI		С. ATTADIA – С Снк 2 D. DIXON	- TE				TE Connectivity				
MENSIONS: TOLERANCES UNLESS OTHERWISE SPECIFIED: INCHES		APVD 2 D. DIXON PRODUCT SPEC	NAME Plug Assembly, .260[6.6] vertical,									
0 PLC 1 PLC 2 PLC 3 PLC		± - ± - ± - ± .005[0.13]	108-1422 APPLICATION SPEC	.025[0.64]CL, GULL WING LEADS, MICTOR								
	4 PLC ANGLES	± - ± -	114-1100	4	SIZE CAGE	CODE	DRAWING NO					RESTRICTED TO
\int_{1}	FINISH	\land	WEIGHT		A 00	779	C- 57	6705	5			
_		$\angle \angle $	CUSTOMER DRA	WING				SCALE {	3:1	SHEET	0F 1	1 ^{REV} B1

В

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 5767056-1