



MATED WITH / PASSEND ZU: SEE 1355071 and 1355073	PROJEKT NR. A92-52228	LOC A1	DIST -	REVISIONS				
		P	LYR	DESCRIPTION		DATE	DWN	APVD
		rev_sym_5 rev_desc_5				rev_date_5	rev_dwn_6	rev_apvd_5


ADDITIONAL CODINGS / Zusätzliche Kodierungen



CODING / Kodierung F			MECHANICAL CODING: mechanische Kodierung:		
RIBS / Nuten: A-F					
	6-967630-1	E	ORANGE / orange	21 POS. pol.	PA66-GF13
	6-967629-1	E		18 POS. pol.	
				15 POS. pol.	
	6-967627-1	D		12 POS. pol.	
				9 POS. pol.	
	6-965641-1	D		6 POS. pol.	
CUSTOMER PART NUMBER Kunden-Einzel- teil-Nummer	TE ORDER-NO. TE Bestell-Nr.	REV.		DESCRIPTION Benennung Einzelteil	MATERIAL Mater.- Stoff



CODING / Kodierung E			MECHANICAL CODING: mechanische Kodierung:		
RIBS / Nuten: E-D					
	5-967630-1	E	EMERALD GREEN / smaragdgruen	21 POS. pol.	PA66-GF13
	5-967629-1	E		18 POS. pol.	
				15 POS. pol.	
	5-967627-1	D		12 POS. pol.	
				9 POS. pol.	
	5-965641-1	D		6 POS. pol.	
CUSTOMER PART NUMBER Kunden-Einzel- teil-Nummer	TE ORDER-NO. TE Bestell-Nr.	REV.		DESCRIPTION Benennung Einzelteil	MATERIAL Mater.- Stoff

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K.Gerlach	15APR98	 TE Connectivity			
DIMENSIONS: mm		CHK R.Huebner	15APR98				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: n ISO 8013 n DIN 16261-10		APVD J.Haack	15APR98	NAME PRODUCT GROUP DRAWING: TAB HOUSING (2.8mm), 6-21POS. AND SECONDARY LOCKING DEVICE Produkt-Gruppen-Zeichnung fuer: Flachstecker Gehaeuse (2.8mm), 6-21pol. und zweite Kontaktsicherung		
	1 P/LC ± 2 P/LC ± 3 P/LC ± 4 P/LC ± ANGLES ±		PRODUCT SPEC -				
			APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO		
			-				
MATERIAL SEE TABLE	FINISH SEE TABLE	WEIGHT SEE TABLE		A1	00779	©=1355072	-
Customer Drawing				SCALE 2:1		SHEET 2 OF 2	REV. 7

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-965641-5](#)