



Specification Control Drawing



a) Part as supplied.



b) Part after unrestricted recovery.



DIMENSIONS in millimetres {in inches, for reference}

	H	+		J	ł	<	Р	R	ΗW	JW	KW
Part No.	Min	Max	Min	Max	Min	Max	±10%	±10%	±20%	±20%	±20%
	a	b	a	b	a	b	b	b	b	b	b
382A012-*-G05	13	6.1	9	3.3	9	3.3	22	19	1.5	1.0	1.0
	(0.51)	(0.24)	(0.35)	(0.13)	(0.35)	(0.13)	(0.87)	(0.75)	(0.06)	(0.04)	(0.04)
			#		#						

This is an overexpanded variant Modified dimensions are shown thus:-


Copyright(!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY.	Checked	Issue	4	Date	November 2006	Conforms to ISO Recommendations
Approval						3rd Angle Projection Not to Scale
Design	MKTG.	Q.A.				Not to Scale

Кауспет с		Specificat Control D		Part Number 382A012-*-G05 Issue 4			
Iss.	Date	E.C.R. No.	Deto	ails of Change			
2 3 4	February 1988 August 2002 November 2006	5251 **** CR06-HM-012	Redrawn	was 7.0 L dimensions added			

(Ordering Information)



COMPATIBILITY CHART)

Material Dash Number Material Description		SPEC Number	Coating Slash Number	
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42,/86, /180	
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180	
-6	SILICON	RT-602, RK-6706	N∕A	
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225	
-100	ZERO HALOGEN	RT-1323, RK-6717	/86, /180	
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42	

NOTES

 As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Tyco Electronics UK Ltd.	Tyco Electronics Corporation
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 382A012-25-G05/225-0