

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001883	11FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151350-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528574
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528574

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		APVD RAGHAVENDRA		NAME FINE ADJ SIDE FD HD-I APPL	
		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		APPLICATION SPEC		A 3 C- 1528574	
MATERIAL		WEIGHT		CUSTOMER DRAWING SCALE SHEET 1 OF 2 REV A1	
FINISH					

CUTS CARRIER
 CUTS CARRIER
 CONTINUOUS CARRIER
 AND SPARE PARTS
 AND SPARE PARTS
 AND SPARE PARTS
 SPARE PARTS KIT

1.25 (.049 IN)

RE
 5
 57
 REF

33
 24
 30
 29 REF
 29
 C
 31
 32
 25
 27
 61
 26
 23

34
 8
 9
 12
 11
 10
 17
 54
 60
 56
 46 (REF)
 46
 19
 22
 20
 21
 67
 66
 63
 45
 39
 38
 44
 7
 50
 52
 51
 20
 53
 37
 57
 41
 5
 28
 4
 3
 2
 1



RECOMMENDED SPARE PARTS.

- GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
- LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
- THIS APPLICATOR APPLIES TERMINAL WITH A SEAL. INSULATION RANGE QUOTED IS THAT OF THE TERMINAL.
- APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY #1-23419-5 LOC-TITE TO THREADS. CUT TO LENGTH AT ASSY.

✱ WARNING:

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

DRAWING NUMBER - 1528574 SHEET 2 OF 2 REV. A1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1528574-2](#)