

XS Complete Keyboard



Models may vary from the image shown

Small, flat and extremely robust

The compact keyboard "XS Complete" (G84-5200) offers a full keyboard layout complete with number block and is ideal for all applications with limited space and requiring frequent number entries.

Key Benefits

- Complete layout with numeric keypad. Ideal for applications requiring the frequent input of figures
- High degree of reliability and precise keystroke feel thanks to individual keys with Gold Crosspoint contacts (Cherry ML technology)
- Ideal for continuous usage due to the long operating life in excess of 20 million key actuations per individual key
- Compact dimensions and very low overall build height, ideal for restricted spaces and for 19" applications
- Standardized measurements and installation dimensions of the complete XS product family - the keyboard can be adapted to every application
- Lightweight for applications where every gram counts
- Plug & Play can be used with the operating system's standard drivers
- Supports Code Set 3 and UnifiedPOS
- Fastening option for permanent installation
- Detachable plug-in feet for individually adjusting the tilt of the keyboard
- Freely programmable keys for even more time-saving operation

Technical Data:

Layout (country or language):

(possible country/layout versions, others available on request) US English with EURO symbol

Housing Color:

Product dependant, see table "Models"

Key Color:

Product dependant, see table "Models"

Weight (product):

approx. 550 g / 1.21 oz

Total Weight (with packaging):

approx. 680 g / approx. 1.5 lb

Cable Length:

approx. 2.50 m / approx. 8.2 ft

Storage Temperature:

-20°C to 60°C / -4° F to 140° F

Operating Temperature:

0°C to 60°C / 32° F to 140° F

Current Consumption:

typ. 25 mA

Interface:

• USB (PS/2 via adapter)

Product Approvals:

 cURus 	c 74
 C-Tick 	<u>&</u>
• VCCI	V€I
• CE	(€
• FCC	F©
• VDE	Ø€.
• BSMI	9

System Requirements:

• USB or PS/2 connection

Box Contents:

- XS Complete Keyboard
- Adapter (USB port on PS/2 plug)
- Operating instructions in hard copy
- 2 Plug-in feet

Dimensions (product):

approx. 374 x 139 x 18 mm / approx. 14.72 x 5.47 x .71 in

Packaging Dimensions:

approx. 393 x 196 x 33 mm / approx. 15.47 x 7.72 x 1.30 in **Reliability:**


• MTBF > 11.4 mill. hours

Keyboard:

- Key Technology: ML
- Service life, standard key: > 20 million key operations



• Operation Characteristics: ML Pressure point (50cN)



Inscription Technology: LaserInscription Layout: Standard

• Number of Keys: 103

Packaging Unit:

Number of products in the master package: 21

Number of master packages per pallet: 12

Warranty:

2 years

Errors, technical changes and delivery delays may occur.

Technical information refers only to the specifications of the products. Features may differ from the information provided.



Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number	Housing Color	Key Color
1	XS Complete Keyboard	G84-5200LCMEU-0	light grey	light grey
2	XS Complete Keyboard	G84-5200LCMEU-2	black	black