





1438129-1
SHOWN WITH SPACER
IN SEATED POSITION






REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
F32		REVISED PER ECO-16-003418	08MAR2016	DLD	DCM
F33		REVISED PER ECO-16-018427	25JAN2017	DLD	DCM
F34		REVISED PER ECO-17-007768	30MAY2017	DLD	DCM
F35		REVISED PER ECO-17-014872	24OCT2017	JMS	CM

1. PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*) PART NUMBERS.
2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4. REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
5. COMPANY LOGO.




SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)



SCALE 1:1

APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG

ANY DESIGN CHANGES ON THIS ASSEMBLY MAY
ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN R. VESTAL 15APR2005		 TE Connectivity	
			CHK T. VALASEK 15APR2005			
DIMENSIONS:			APVD T. VALASEK 15APR2005		NAME 50-WAY HARNESS ASSEMBLY, PCM	
mm			PRODUCT SPEC			
			APPLICATION SPEC			
			TOLERANCES UNLESS OTHERWISE SPECIFIED:			
			0 PLC ±.3			
			1 PLC ±0.10		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
			2 PLC ±.10			
			3 PLC ±.10			
			4 PLC ±.10			
ANGLES ±1°			WEIGHT -		A100779C=1438129	
FINISH			CUSTOMER DRAWING			
MATERIAL					SCALE 1:1 SHEET 1 OF 10 REF 35	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



1438129-1
KEYING OPTION "A"



1438129-2
KEYING OPTION "B"



1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1° FINISH	PRODUCT SPEC APPLICATION SPEC	SIZE A100779	
MATERIAL	-	WEIGHT	C=1438129	
-	-	CUSTOMER DRAWING	RESTRICTED TO	
		SCALE 2:1	SHEET 2 OF 10	
			REV F35	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005		 TE Connectivity	
		CMV VALASEK 15APR2005			
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME 50-WAY HARNESS ASSEMBLY, PCM	
mm					
		0 PLC ±		PRODUCT SPEC - APPLICATION SPEC -	
		1 PLC ±0.3			
		2 PLC ±0.10			
		4 PLC ±			
		4 PLC ±			
ANGLES		° ±		SIZE CASE CODE DRAWING NO A1 00779 C 1438129	
FINISH				RESTRICTED TO	
MATERIAL				WEIGHT -	
				CUSTOMER DRAWING SCALE 1:1 SHEET 3 OF 10 REF 35	

REVISIONS				
P	LYR	DESCRIPTION	DATE	DWN APVD
-	-	SEE SHEET 1	-	- -

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-M* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
CHK
T. VALASEK

15APR2005

DIMENSIONS:
mm

0 PLC ±0.3
1 PLC ±0.10
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES FINISH

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±
±0.10
±
±
±1°

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, PCM

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
4

OF
10

REV
F35

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20							
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.							

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20							
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.							

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

REVISIONS					
#	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-



KEYING OPTION C

[illegible]


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DESIGNED BY: J. VESTAL 15APR2005 CHK CHECKED BY: J. VALASEK 15APR2005 APP'D APPROVED BY: J. VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. 5 PLC ±. ANGLES ±1°		NAME 50-WAY HARNESS ASSEMBLY, PCM - - -	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A100779	
MATERIAL - - -		FINISH - - -		DRAWING NO C=1438129	
WEIGHT -		CUSTOMER DRAWING -		RESTRICTED TO -	
				SCALE 1:1	
				SHEET 8 OF 10	
				REF 35	



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-# & 1438950-*



SECTION A-A

SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL	15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK	15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK	15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ±°	PRODUCT SPEC		SIZE A100779	
	1 PLC ±0.3	APPLICATION SPEC		CAGE CODE C=1438129	
	2 PLC ±0.10	WEIGHT		SHEET 9 OF 10	
	3 PLC ±°	CUSTOMER DRAWING		REV F35	
	4 PLC ±°	SCALE		1:1	
	ANGLES ±1°	RESTRICTED TO		-	
MATERIAL	-	DATE		15APR2005	
-	-	BY		T. VALASEK	

HEADER INTERFACE KEYING OPTIONS

REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ±0.3	PRODUCT SPEC	SIZE A100779	
	1 PLC ±0.10	APPLICATION SPEC	CAGE CODE C=1438129	
	2 PLC ±0.10	WEIGHT	RESTRICTED TO	
	3 PLC ±0.10	CUSTOMER DRAWING	SCALE 1:1	
	4 PLC ±0.10		SHEET 10 OF 10	
MATERIAL	FINISH		REV F35	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1438129-7](#)