

Specification Sheet

Part Number: 151-10930



Q Tie Mount, M4 Screw, 0.83" x 0.38" x 0.26", For Q18–Q50 ties, PA66, Black, 100/bag

Article Number	151-10930
Type	CTQM5
Color	Black (BK)
Features & Benefits	• 2- or 4-way entry options for the Q-Tie, offering flexibility and stability • Designed for use with 18- through 120-pound cable ties to provide stability when securing bundles. • Secures with a single screw, providing quick installation.
Quantity Per	bag

Product Description	Q-Series mounting bases are designed to work exclusively with the Q-Tie® cable tie series. This mounting component can be secured with screws. The Q-Mount allows either a two- or four-way entry for the Q-Tie, providing a quick and simple insertion into the mount. Once in place, the Q-Tie will not slip out, even in vertical mounting applications.
Short Description	Q Tie Mount, M4 Screw, 0.83" x 0.38" x 0.26", For Q18–Q50 ties, PA66, Black, 100/bag
Global Part Name	CTQM5-PA66-BK
Length L (Imperial)	0.83
Length L (Metric)	21.0
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	0.38
Width W (Metric)	9.5
Cable Ties	Q-Ties
Height H (Imperial)	0.26
Height H (Metric)	6.7
Cable Tie Width Max (Imperial)	0.2
Cable Tie Width Max (Metric)	5.0
Mounting Hole Diameter D (Imperial)	0.175

Mounting Hole Diameter D (Metric) 4.5 mm

Mounting Hole Diameter D Min (Imperial) 0.18

Mounting Hole Diameter D Max (Metric) 4.5

Material Polyamide 6.6 (PA66)

Material Shortcut PA66

Flammability UL 94 V2

Halogen Free Yes

Operating Temperature -40°F to +185°F (-40°C to +85°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Certification/Specification UL | ANSI/UL 746B UL | ANSI/UL 62275 UL | ANSI/UL 1565

UL Recognized (US) Yes

UL Recognized (US and Canada) Yes

Package Quantity (Imperial) 100

Package Quantity (Metric)	100
Customs Number	3926909988