

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0561208428](#)
Status: **Active**
Overview: CRC (Compact Robotic Connectors)
Description: CRC Signal Female Terminal, Lead-Free, Gold (Au) Plating, 24-28 AWG, Reel

Documents:

[Drawing \(PDF\)](#) [Product Specification PS-51238-018-001 \(PDF\)](#)
[Product Specification PS-500810-001-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-51238-017-001 \(PDF\)](#)

General

Product Family Crimp Terminals
 Series [56120](#)
 Application Signal, Wire-to-Wire
 Crimp Quality Equipment Yes
 Overview [CRC \(Compact Robotic Connectors\)](#)
 Packaging Alternative [561208528 \(Bag\)](#)
 Product Name CRC
 UPC 822350008976


Physical

Durability (mating cycles max) 50
 Gender Female
 Material - Metal Phosphor Bronze
 Material - Plating Mating Gold over Nickel
 Net Weight 453.592/mg
 Packaging Type Reel
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 1.60mm max.
 Wire Size AWG 24, 26, 28
 Wire Size mm² N/A

Material Info

Reference - Drawing Numbers

Product Specification PS-500810-001-001, PS-51238-017-001, PS-51238-018-001
 Sales Drawing SD-56120-009



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/71/2019 (16 July 2019)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[56120 Series](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
-------------	-----------

Insertion Tool for Micro-Fit 3.0 and CRC Male and Female Crimp Terminals, 20-30 AWG	638120800
---	---------------------------

Extraction Tool for Compact Robot Connector Crimp Female Terminal for 18-28 AWG Wire	638133200
--	---------------------------

Hand Tool for I/O Male Terminals, A34	638192000
---------------------------------------	---------------------------

24-28 AWG Wire	
----------------	--

FineAdjust Applicator 638655100

Japan

Description **Product #**

Applicator for M211A 574073000

Bench Press, 18-28

AWG Wire

Hand Extraction Tool 574076100

This document was generated on 10/23/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[56120-8428](#)