




Product availability: Non-Stock - Not normally stocked in distribution facility



## Main

|                               |                            |
|-------------------------------|----------------------------|
| Commercial Status             | Commercialised             |
| Range of product              | OsiSense XC                |
| Series name                   | Standard format            |
| Product or component type     | Limit switch contact block |
| Device short name             | XESP                       |
| Associated body               | ZCKJ4                      |
| Number of poles               | 2                          |
| Contacts operation            | Snap action, staggered     |
| Contacts type and composition | 2 C/O                      |

## Complementary

|                             |   |
|-----------------------------|---|
| Product compatibility       | XCKJ  |
| Electrical connection       | Screw-clamp terminals, clamping capacity: 1 x 0.75...2 x 1.5 mm <sup>2</sup>  |
| Contacts insulation form    | Za  |
| Contacts material           | Silver plated contacts  |
| Positive opening            | Without   |
| Minimum actuation speed     | 0.01 mm/s   |
| Resistance across terminals | < 25 mOhm conforming to IEC 60255-7 category 3  |
| Electrical durability       | 5000000 cycles, DC-13 48 V, 7 W, operating rate: < 60 cyc/mn, load factor: 0.5 conforming to IEC 60947-5-1 appendix C<br>5000000 cycles, DC-13 24 V, 10 W, operating rate: < 60 cyc/mn, load factor: 0.5 conforming to IEC 60947-5-1 appendix C<br>5000000 cycles, DC-13 120 V, 4 W, operating rate: < 60 cyc/mn, load factor: 0.5 conforming to IEC 60947-5-1 appendix C |

## Ordering and shipping details

|                       |   |
|-----------------------|---|
| Category              | 22449 - LIMIT SWITCHES,ACCESSORIES                        |
| Discount Schedule     | T   |
| GTIN                  | 00785901289425  |
| Nbr. of units in pkg. | 1   |
| Package weight(Lbs)   | 0.05  |
| Product availability  | Non-Stock - Not normally stocked in distribution facility |
| Returnability         | Y   |
| Country of origin     | FR  |

## Offer Sustainability

|                                  |   |
|----------------------------------|---|
| Sustainable offer status         | Green Premium product   |
| RoHS                             | Compliant - since 0851 - <a href="#">Schneider Electric declaration of conformity</a> |
| REACH                            | Reference not containing SVHC above the threshold                                     |
| Product environmental profile    | Available <a href="#">Download Product Environmental</a>                              |
| Product end of life instructions | Need no specific recycling operations   |

## Contractual warranty

---

|        |           |
|--------|-----------|
| Period | 18 months |
|--------|-----------|

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric:](#)

[XESP2031](#)