










PCB layout
view component side
thickness 1,6



see table for coding,
feature arrangement and style



coding style table

	style A: for connectors 6-pole
	style B: for connectors from 10 to 14-pole
	style C: for connectors from 16 to 64-pole

further information
see: DS 09191130201

full range of P/N's and
dimensions shown on page 2/2

	All Dimensions in mm Original Size DIN A3		Scale 2:1	Free size tol. IEC 60603-13		Ref. Sub. TB 09195XXX913 / 500000087654 / 2015-04-08	
	All rights reserved Department EC PD - DE		Created by STORCK	Inspected by TADJE	Standardisation KOHLE	Date 2015-12-21	State Final Release
HARTING Electronics GmbH D-32339 Espelkamp		Title SEK 19 male standard conn angled with short lever 2.9					Doc-Key / ECM-Nr. 100154464/UGD/035/A 500000094596
Type TB		Number 09195XXX913					Rev. A
							Page 1/2

1	2	3	4	5	6	7	8
</							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09195165913](#) [09195346913](#) [09195405913](#) [09195206913](#) [09195146913](#) [09195166913](#) [09195066913](#)
[09195106913](#) [09195406913](#) [09195506913](#) [09195107913](#) [09195266913](#) [09195646913](#) [09195267913](#) [09195647913](#)
[09195607913](#) [09195167913](#) [09195207913](#)