

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
© COPYRIGHT -		BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.	


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-					
			DI	REVISED PER ECR-14-012391	18AUG2014	FD
			B	CHANGE PER ECR-13-006472	17APR2013	PP
			C	REVISED PER ECR-14-000978	22JAN2014	AB
			D	REVISED PER ECR-14-008991	21JUL2014	PP


- NOTES:
- 1. MATERIALS:
 - BASE & COVER: PBT,
 - COLOR: NATURAL,
 - CONTACTS: COPPER ALLOY.
 - 2. FOR SOLID AND STRANDED WIRE AWG 22 - 20 USE.
 - 3. COMPLIES WITH DIRECTIVE 2002/95/EC (ROHS).
 - 4. SCREWS TO BE USED: M2x6.

5 YEAR/WEEK CODING

P/N 2213118-1
2 PARALLEL CONTACT BEAM VERSION
SHARP MINI ZENIGATA LED


P/N 2213118-2
SINGLE CONTACT BEAM VERSION
LUMILEDS




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. POORTER 19JUL2012		TE Connectivity					
DIMENSIONS: mm		CHK O. LEIJNSE 19JUL2012							
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		APVD O. LEIJNSE 19JUL2012		NAME LUMAWISE LED HOLDER Z32 LOW PROFILE 1215				
			PRODUCT SPEC 108-133006						
			APPLICATION SPEC 114-32045						
			WEIGHT -						
MATERIAL -	FINISH -		Customer Drawing			SIZE A3	CAGE CODE 00779	DRAWING NO C-2213118	RESTRICTED TO -
						SCALE 3:1	SHEET 1	OF 2	REV D1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-


RECOMMENDED DRILLING HOLE PATTERN



P/N 2213118-1
2 paralel contacts





P/N 2213118-2
single contact





TE CONNECTIVITY IS NOT RESPONSABLE FOR LED LAYOUT DIMENSIONS AS SHOWN BELOW. DIMENSIONS ARE AS RECEIVED BY TE CONNECTIVITY FROM LED MANUFACTURER PRIOR TO THIS REVISION.

P/N 2213118-1
2 paralel contacts
TO BE USED FOR:





SHARP
MINIZENIGATA

P/N 2213118-2
single contact
TO BE USED FOR:



PHILIPS
LUMILEDS COB 1215



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. POORTER	19JUL2012	 TE Connectivity		
		CHK O. LEIJNSE	19JUL2012			
		APVD O. LEIJNSE	19JUL2012	NAME LUMAWISE LED HOLDER Z32 LOW PROFILE 1215		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-133006		
				APPLICATION SPEC 114-32045		
				WEIGHT -		
MATERIAL -		FINISH -		Customer Drawing		
				SIZE A3	CAGE CODE 00779	RESTRICTED TO -
				DRAWING NO C-2213118		
				SCALE 3:1	SHEET 2	REV D1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2213118-2](#)