

4805 (3/11)

KEYWAY LOCATIONS (REF-SEE TABLE) (MATING LENGTH OF POST ON NEAR SIDE) SCALE: 2:1

\land —									
<u></u>	NONE	NONE	1.827	1.716	11	12	3-87633-7		
OBSOLETE	NONE	NONE	5.415	5.304	34	35	-3-87633-6		
OBSOLETE	NONE	NONE	5.259	5.148	33	34	3-87633-5		
OBSOLETE	NONE	NONE	5.103	4.992	32	33	-3-87633-4-		
OBSOLETE	NONE	NONE	4.947	4.836	31	32	-3-87633-3-		
OBSOLETE	NONE	NONE	4.791	4.680	30	31	-3-87633-2-		
OBSOLETE	NONE	NONE	4.635	4.524	29	30	-3-87633-1		
OBSOLETE	NONE	NONE	4.479	4.368	28	29	-3-87633-0-		
OBSOLETE	NONE	NONE	4.323	4.212	27	28	2-87633-9-		
OBSOLETE	NONE	NONE	4.167	4.056	26	27	-2-87633-8-		
OBSOLETE	NONE	NONE	4.011	3.900	25	26	2-87633-7		
	NONE	NONE	.111	_	_	1	2-87633-6-		
	A,C,E,H,K,M,Q,S,U,W,Y	1 1	3.855	3.744	24	25	-2-87633-5-		
OBSOLETE	A, C, E, G, J, L, N, Q, S, U, W, Y	12	3.699	3.588	23	24	2-87633-4		
	A, D, G, K, N, R, U, X	8	3.543	3.432	22	23	-2-87633-3-		
	A,C,E,G,J,L,N,Q,S,U,W	1 1	3.387	3.276	21	22	-2-87633-2-		
	A,D,G,K,N,R,U	7	3.231	3.120	20	21	-2-87247-1		
	A,C,E,G,J,L,N,Q,S,U	10	3.075	2.964	19	20	2-87633-0-		
	B,D,F,J,L,N,Q,S	8	2.919	2.808	18	19	1-87633-9		
	A,D,F,J,M,P,S	7	2.763	2.652	17	18	1-87633-8		
OBSOLETE	A,D,G,K,N,R	6	2.607	2.496	16	17	1-87633-7		
$ \langle 4 \rangle =$	A, C, E, G, J, L, N, Q	8	2.451	2.340	15	16	1-87633-6		
	A,D,G,K,N	5	2.295	2.184	14	15	1-87633-5		
OBSQLETE	A,C,E,G,J,L,N	7	2.139	2.028	13	14	1-87633-4		
$ \langle 4 \rangle =$	A, D, J, M	4	1.983	1.872	12	13	1-87633-3		
^	A,C,E,G,J,L	6	1.827	1.716	716 11	12	1-87633-2		
4 OBSOLETE	A,D,G,K	4	1.671	1.560	10	11	1-87633-1		
	A,C,E,G,J	5	1.515	1.404	9	10	1-87633-0 87633-9		
	A,D,G	3	1.359	1.248	8	9			
<u> </u>	A,C,E,G	4	1.203	1.092	7	8	87633-8		
4 OBSOLETE	A,C,E	3	1.047	.936	6	7	87633-7		
	A,C,E	3	.891	.780	5	6	87633-6		
	A,D	2	.735	.624	4	5	87633-5		
	A,C	2	.579	.468	3	4	87633-4		
,	A	1	.423	.312	2	3	87633-3		
4 OBSOLETE	A	1	.267	.156	1	2	-87633-2		
	KEYWAY	NO				NO	ASSEMBLY		
	LOCATIONS	OF Keyway		B	A	OF POSN	PART NUMBER		
	THIS DRAWING IS A CONTROLLED DOCU	INTENT DWN	07jan87 MAYER						
	DIMENSIONS: TOLERANCES UN OTHERWISE SPEC	СНК	11FEB87 BBEN	11FEB87 Image: Confident with the confident with the confident with the confidence with the conf					
	INCHES OTHERWISE SPEC 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±	<u>E HU</u> product 1 O	BBEN						
	ANGLES ±			SIZE CAGE CODE DRA	WING NO		RESTRICTED TO		

WEIGHT

.000015 GOLD IN CONTACT AREA GOLD FLASH ON REMAINDER OF POST ALL OVER .000050 GOLD CUSTOMER DRAWING

MATERIAL HOUSING – FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK POSTS – BRASS

FINISH

— .125 <u>2</u>

.405±.010

.250±.010

1	THESE SURFACES WILL I
2	THE NOTED DIMENSIONS
$\overline{3}$	POINT OF MEASUREMENT
4	OBSOLETE PARTS: OBSO
5	PRELIMINARY PART - NO

		2					1			
LO)C	DIST				REVISIONS				
A	AD	00 -	P	LTR		DESCRIPTION		DATE	DWN	APVD
				L2	REVISED PER EC	0-13-016226		170CT2013	KH	JO

NOT BE PLATED

APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING

FOR PLATING THICKNESS

OLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

NOT RELEASED FOR PRODUCTION

В

D

А

SCALE 4:1 SHEET OF 1 REV L2

A1 – **C**=87633

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

 $\frac{\text{TE Connectivity:}}{\frac{1-87633-0}{2}}$