

Data cable - PSM-KA9SUB9/BB/2METER - 2799474

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RS-232 cable, 9-pos. D-SUB socket on 9-pos. D-SUB socket, 9-wire, 1:1



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	131.2 g
Custom tariff number	85444290
Country of origin	Taiwan

Technical data

Dimensions

Fixed cable length	2 m
--------------------	-----

General

Connection 1	D-SUB connection
Connection method	D-SUB-9 female connector
Number of positions	9
Connection 2	D-SUB connection
Connection method	D-SUB-9 female connector
Number of positions	9

Classifications

eCl@ss

eCl@ss 4.0	27250312
eCl@ss 4.1	27250312
eCl@ss 5.0	27242208

Data cable - PSM-KA9SUB9/BB/2METER - 2799474

Classifications

eCl@ss

eCl@ss 5.1	27242208
eCl@ss 6.0	27242208
eCl@ss 7.0	27242208
eCl@ss 8.0	27249205

ETIM

ETIM 2.0	EC000310
ETIM 3.0	EC000310
ETIM 4.0	EC000310
ETIM 5.0	EC001408

UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	43201553

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2799474](#)