




LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
		S10				REVISED PER ECO-09-009758	23APR2009	DLD	DCM
		S11				REVISED PER ECO-09-028550	29DEC2009	DLD	DCM




KEYING OPTION "A"
1438082-1



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2




- MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

SEE PINOUT CHARTS		PART NUMBER	
DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		SIZE CAGE CODE DRAWING NO	
PRODUCT SPEC		RESTRICTED TO	
APPLICATION SPEC		A1 00779 C=1438082	
WEIGHT		SCALE 4:1 SHEET 1 OF 5	
CUSTOMER DRAWING		REV S11	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44								35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086															
		44								35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085															
										35																											6-1438735-2	2LIT-14A464-SD-084														
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43						38	36			31					25	24				18	17	16	14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082															
45		43						38	36			31					25	24						16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081															
45		43						38	36			32	31				25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																
45		43						39	38	37	36			31			25	24				18	17	16	14	13	12			9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079														
				42																20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078															
				42																20	18				13	11	10							1	3-1438735-7	2LIT-14A464-SD-077																
45		43						39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076															
45		43							38	36			31				25	24		21	20	19	18	17		14	12						2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39	37					29							20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074														
45		43						39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073															
45		43							38	36			31				25	24		21	20	19	18	17	16	14	12				7			2	1	3-1438735-1	2LIT-14A464-SD-072															
45		43						39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45		43							38	36			31				25	24		21	20	19			16	14	12				7				2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43						39	38	37	36			31			25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069															
45		43							38	36			31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068															
											33															13							6	5			2	1	2-1438735-5	2LIT-14A464-SD-067												
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8					2		2-1438735-4	2LIT-14A464-SD-066														
		43										31		29								18							8						2		2-1438735-1	2LIT-14A464-SD-065														
45		43							38	36	35		31				25	24		21					16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064														
45		43						39	38	37	36	35		31			25	24					18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063														
45		43							38	36	35		32	31			25	24		21	19	18	17	16	14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062															
45		43							38	36	35		31				25	24							16	14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061														
45		43							38	36	35		31				25	24		21	19			16	14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060															
45		43							38	36	35		31				25	24					18	17	16	14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059														
45		43						39	38	37	36	35		31			25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058															
45		43							38	36	35		31				25	24		21	19	18	17	16	14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057															
				42					37											20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056														
45		43								36	35		31				24		21	19			16	14	12					7	6			1	1-1438735-1	2LIT-14A464-SD-055																
										35							27																	3			1-1438735-0	2LIT-14A464-SD-054														
			43									31		29									18						9	8					2		1438735-9	2LIT-14A464-SD-053														
										35							27														7						1438735-8	2LIT-14A464-SD-052														
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
APPLICATION SPEC		WEIGHT		A 00779 C=1438082 -	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5 REV 1	

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1438082-7](#)