







RECOMMENDED PCB LAYOUT







4. NO TYCO LOGO AND DATE CODE ON THE PRODUCT.

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.50 1 PLC ±0.38 2 PLC ±0.25 3 PLC ±0.15 ANGLES ±5°		DWN		A. WU 22-MAY-2006		 TE Connectivity	
		CHK		S. HOU 22-MAY-2006			
MATERIAL SEE NOTE		APVD		W.J. KE 22-MAY-2006		2.0 WIRE TO BOARD CONNECTOR, 0.5 SQ PIN, HEADER, R/A, SMT	
		PRODUCT SPEC 108-57449					
FINISH SEE NOTE		QUALIFICATION TEST REPORT 501-57517		LOC DW	SIZE A ₃	DRAWING NO C-1734827	REV A1
		WEIGHT SEE TABLE		SCALE --		SHEET 1 OF 2	


A1		REVISED PER ECO-11-005301	RK HMR	5APR11
LTR	REVISION RECORD	ECO	DWN CHK	DATE

DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.

PRINT DIST
DW |



PRODUCT LOADING FOR 2 TO 6 CONTACTS



PRODUCT LOADING FOR 7 TO 15 CONTACTS

900	3	2700	56	3.73	2.81	15
				3.57	2.65	14
				3.43	2.51	13
	4	3600	44	4.20	3.24	12
				3.91	2.95	11
				3.77	2.81	10
	6	5400	32	4.68	3.90	9
				4.68	3.56	8
				4.28	3.24	7
	7	6300	24	4.48	3.40	6
				4.10	3.02	5
				3.73	2.65	4
				3.35	2.27	3
2.97				1.89	2	
PCS/ TAPE	REELS/ CARTON	QUANTITY	DIM W	G/W (KG)	N/W (KG)	NO. OF CONTACTS

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±— 1 PLC ±— 2 PLC ±— 3 PLC ±— ANGLES ±—		DWN A. WU 22—MAY—2006		 TE Connectivity			
		CHK S. HOU 22—MAY—2006					
MATERIAL —		APVD W.J. KE 22—MAY—2006		NAME 2.0 WIRE TO BOARD CONNECTOR, 0.5 SQ PIN, HEADER, R/A, SMT			
		PRODUCT SPEC					
FINISH —		APPLICATION SPEC		LOC DW	SIZE A ₃	DRAWING NO C—1734827	REV A1
		WEIGHT		SCALE — —		SHEET 2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1734827-2](#)