

LOC	DIST	REVISIONS					
P	LTR	DESCRIPTION				DATE	APVD
						DWN	
	C	ECR-06-001518				25JAN06	JMS FWK

NOTES:

- 1

PACK IN ACCORDANCE WITH AMP SPEC 107-3275
- 2

100 TRAY PACK IN ACCORDANCE WITH AMP SPEC 107-3275
- 3

Au PLATING
- 4

Ni PLATING
- 5

THIS ITEM MUST BE WHITE
- 6

ELECTRICAL CHARACTERISTICS

FREQUENCY RANGE:DC - 1 GHz

NOMINAL IMPEDANCE:50 Ohm

INSULATION RESISTANCE:5000 MOhm

WORKING VOLTAGE:500 Volts RMS at Sea Level

DIELECTRIC WITHSTAND VOLTAGE:1500 Volts RMS Max

CONTACT RESISTANCE:1.50 mOhm Max

CENTRE CONTACT:0.20 mOhm Max

VSWR @ xGHz:TBA

INSERTION LOSS xdb:TBA
- 7

MECHANICAL CHARATERISTICS


COUPLING RETENTION FORCE:445N

CABLE RETENETION FORCE:N/A

DURABILITY:500 Cycles Min
- 8

ENVIRONMENTAL CHARACTERISTICS

OPERATING TEMPERATURE:-65 to +165 DegC



		1	1	BRASS	4	CAP	10
		1	1	1/2W-500HM		RESISTOR	9
		1	1	BRASS	4	BODY	8
		1	1	BRASS	4	WASHER	7
		1	1	SPRING STEEL		SPRING	6
		1	1	BRASS	4	RETAINING RING	5
		1	1	SILICONE RUBBER	5	GASKET	4
		1	1	BRASS	3	CONTACT	3
		1	1	PTFE		INSULATION	2
		1	1	BRASS	4	SHELL	1
		6--0	1--0	MATERIAL		DESCRIPTION	ITEM

QUANTITY PER ASSY		PARTS LIST	
<div><div><div>tyco</div><div>Electronics</div></div></div>		Tyco Electronics Corporation Bideford EX39 4HE	
NAME			
BNC PLUG TERMINATION 50 OHM +/- 1.0%			
—			
—			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1337523	—
		SCALE	SHEET
		NTS	1 OF 1
		REV	C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1337523-0](#)