

Pro/ENGINEER DRAWING

| DES        | SCRIPTION      |                              | DATE           | DWN     | APVD    |          |
|------------|----------------|------------------------------|----------------|---------|---------|----------|
| CO-II      | -004820        |                              | IIMAR20II      | RK      | HMR     |          |
|            |                |                              |                |         |         |          |
|            |                |                              |                |         |         | D        |
|            |                |                              |                |         |         |          |
|            |                |                              |                |         |         |          |
|            |                |                              |                |         |         |          |
|            |                |                              |                |         |         |          |
| . 0        | 10             | 2                            | 2 - 28         | 3285    | 6 - 8   | <u> </u> |
| . 0        | 10             | 2                            | 2 - 28         | 3285    | 6 - 7   |          |
| . 5        | 10             | 2                            | 2 - 28         | 3285    | 6 - 6   |          |
| . 5        | 125            | 25                           | 2 - 28         |         |         |          |
| . 5        | 120            | 24                           | 2 - 28         |         |         |          |
| . 5        | 115            | 23                           | 2 - 28         |         |         |          |
| . 5        | 110            | 2 2                          | 2 - 28         | 8285    | 6 - 2   |          |
| . 5        | 105            | 2                            | 2 - 28         |         |         |          |
| . 5        | 100            | 20                           | 2 - 28         |         |         | С        |
| . 5        | 95             | 9                            | 1 - 28         |         |         | ·        |
| . 5        | 90             | 8                            | 1 - 28         |         |         |          |
| . 5        | 85             | 7                            | 1 - 28         |         |         |          |
| . 5        | 80             | 16                           | 1 - 28         |         |         |          |
| . 5        | 75             | 15                           | 1 - 28         |         |         |          |
| . 5        | 70<br>65       | 4                            | 1-28           |         |         |          |
| . 5<br>. 5 | 60             | 13                           | - 28<br>  - 28 | В       |         |          |
| . 5        | 55             |                              | 1 - 28         |         |         |          |
| . 5        | 50             | 0                            | 1 - 28         |         |         |          |
| . 5        | 4 5            | 9                            | 28             |         |         |          |
| . 5        | 40             | 8                            | 28             |         |         |          |
| . 5        | 35             | 7                            |                | 3285    |         |          |
| . 5        | 30             | 6                            |                | 3285    |         |          |
| . 5        | 25             | 5                            | 28             | 3285    | 6 - 5   |          |
| . 5        | 20             | 4                            | 28             | 8285    | 6 - 4   |          |
| . 5        | 15             | 3                            | 28             | 3285    | 6 - 3   |          |
| . 5        | 10             | 2                            | 28             | 3285    | 6 - 2   | <u> </u> |
| . В        | DIM. A         | $\mathbf{N}^{\circ}$ of pos. | PART           | NUM     | BER     |          |
|            |                |                              |                |         |         |          |
|            | 27             |                              | nnectivit      | у       |         |          |
| TEF        | RMINAL         | BLOCK PCB N                  | IOUNT          |         |         |          |
|            |                | Y WIRE, STA                  |                |         |         | A        |
|            |                | OCK, 5mm Pl                  | ICH            |         |         |          |
| AGE COD    |                |                              |                | RESTRIC | CTED TO |          |
| JII        | 9 <b>C</b> -28 |                              | -              | -       | -       |          |
|            |                | SCALE 3:   SHEET             | r of ,<br>I d  | )<br>-  | °D5     | J        |
|            |                |                              |                |         |         |          |

1

REVISIONS

|    | 4             | 3                                       | 2  | 1  |                |     |
|----|---------------|---|--|--|----------------|-----|
| -  |               | OR PUBLICATION 20<br>. RIGHTS RESERVED. | DIST   | REVISIONS  |                |     |
| ŀ  |               |   |  | P LTR DESCRIPTION  | DATE DWN APVD  |     |
|    |               |   | -  | - SEE SHEET I  |                | _   |
| D  |               |   | -  |  |                | - D |
|    |               |   | -  |  |                | _   |
|    |               |   | L  |  |                | -   |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                | -   |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                |     |
|    |               |   | A MATERIALS AND FINISH                                 |  |                |     |
|    |               |   | HOUSING: PA 6-6, UL 94-V<br>CLAMP: BRASS, NICKEL PLA   | ATED.  |                |     |
|    |               |   | TERMINAL: BRASS, TIN PLA<br>CLAMPING SCREW: M3, BRAS   | NTED.  |                |     |
| С  |               |   |  |  |                | С   |
|    |               | 2                                       | SUITABLE FOR 1,6-2,4mm P                               | C BOARD THICKNESS.   |                |     |
|    |               | 3                                       | END-TO-END STACKABLE W/I<br>CENTERLINE SPACING.        | NTERLOCK WITHOUT LOSS OF   |                |     |
|    |               |   | CENTERETRE STACTIO.                                    |  |                |     |
|    |               | 4                                       | WIRE SIZE RANGE<br>SOLID WIRE: 0,03-4mm² (I            | IAWG).   |                |     |
|    |               |   | STRANDED WIRE: 0,03-2,5m                               | nm² (I3AWG).   |                |     |
|    |               | 5                                       | RECOGNIZED UNDER THE COM<br>UNDERWRITERS LABORATORIE   | IPONENT PROGRAM OF   |                |     |
|    |               |   | UNDERWRITERS LABORATORIE                               | IS INC. FILE N° E60677.  |                |     |
|    |               | 6                                       | IMQ CERTIFICATE WITH SUR<br>WITH IEC 998-1/998-2-1.    | VEILLANCE IN CONFORMITY  |                |     |
|    |               |   | WITH TEC 330-17330-2-1.                                |  |                |     |
| В  |               | $\overline{7}$                          |  |  |                | В   |
|    |               |   | \ NOT CUMULATIVE TOLERANCE                             | · ·  |                |     |
|    |               | <u>/8</u>                               | ⊾ PRELIMINARY PART NUMBER                              |  |                |     |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                |     |
|    |               |   |  |  |                |     |
|    |               | THIS DRAWING IS                         | A CONTROLLED DOCUMENT. F 7A                            |  |                | -   |
|    |               |   | <u>Е. ZA</u><br>снк<br>D. В.I.                         | NOLINI<br>23AUG2001 EVENOUR TE Conne   | ectivity       |     |
|    |               | DIMENSIONS:<br>MM                       | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: APVD<br>D.BI | NOLINI TE Conne   23AUG2001 EVENOUR   23AUG2001 NAME   EVENOUR TERMINAL BLOCK PCB MO   PEC SIDE ENTRY WIRE |                | 1   |
| А  |               |   | 1 PLC ±.2  | SIDE ENINT WINE, STACT   | KING           | A   |
| 17 |               |   | 2 PLC ±.15<br>3 PLC ±- APPLICATIO                      | W/INIERLOCK, 5mm PII   | СН             |     |
|    |               | MATERIAL                                | 4 PLC ±-<br>ANGLES ±2 −<br>FINISH WEIGHT               | - A 3 0 0 7 7 9 C = 282856   | RESTRICTED TO  | 1   |
|    |               |   | -  | - A S O O T T S CALE 3 · 1 SHEET   | 2 OF 2 REV D 5 | -   |
| l  | 470-19 (3/11) |   | CUSTOME  |  | 2 2 05         |     |

|   |   | LOC             | DIST             | REVISIONS |              |                           |                                    |                           |            |         |        |   |
|---|---|-----------------|------------------|-----------|--------------|---------------------------|------------------------------------|---------------------------|------------|---------|--------|---|
|   |   | FΤ              | 0                | P         | LTR          |                           | DESCRIPTION                        |                           | DATE       | DWN     | APVD   |   |
|   |   |                 | 1                |           | -            | SEE SHEET I               |                                    |                           | -          | -       | -      |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        | D |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  | L         |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| $\wedge$  |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| $\langle   \rangle$   | MATERIALS ANI<br>HOUSING: PA 6  | 6-6, l          | JL 94-           |           |              | OR SEE TABL               | Ε.                                 |                           |            |         |        |   |
|   | CLAMP: BRASS<br>TERMINAL: BRA   | ASS, T          | fin pl           | ATE       | D.           |                           |                                    |                           |            |         |        |   |
|   | CLAMPING SCRE   | -W: M3          | S, BRA           | SS,       | NIC          | KEL PLAIED.               |                                    |                           |            |         |        |   |
| 2   | SUITABLE FOR  | ,6-2            | 2,4mm            | РC        | BOAR         | D THICKNESS               |                                    |                           |            |         |        | С |
| 3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF<br>CENTERLINE SPACING. |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| 4   | WIRE SIZE RAM   | NGE             |                  |           |              |                           |                                    |                           |            |         |        |   |
|   | SOLID WIRE: 0,03-4mm <sup>2</sup> (IIAWG).<br>STRANDED WIRE: 0,03-2,5mm <sup>2</sup> (I3AWG). |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| 5   | RECOGNIZED UNDERWRITERS   | NDER T<br>LABOF | THE CC<br>Ratori | MPC<br>ES | NENT<br>INC. | PROGRAM OF<br>FILE N° E60 | )677.                              |                           |            |         |        |   |
| 6   | IMQ CERTIFIC  |                 |                  |           | ILLA         | NCE IN CONF               | ORMITY                             |                           |            |         |        |   |
| WITH IEC 998-1/998-2-1.   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| 7   | NOT CUMULATIV   | VE TOL          | ERANC            | Ε.        |              |                           |                                    |                           |            |         |        | В |
| 8 PRELIMINARY PART NUMBER   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
|   |   |                 |                  |           |              |                           |                                    |                           |            |         |        |   |
| THIS DRAWING IS   | A CONTROLLED DOCU   | JMENT.          | dwn<br>E.Z       | ANO       | 23A<br>LINI  | UG2001                    |                                    |                           |            |         |        |   |
| DIMENSIONS:   | TOLERANCES UN   | ILESS           |                  |           | F ΝΟŬΙ       |                           | - 27                               |                           | onnectivit | гy      |        |   |
| mm  | OTHERWISE SPEC  | IFIED:          |                  |           | ENOU         |                           | TERMINAL<br>Side entr              | BLOCK PCB<br>Ry Wire, St. | MOUNT      |         |        |   |
|   | 1 PLC ±.2<br>2 PLC ±.15<br>3 PLC ±-   |                 | -<br>APPLICAT    | FION :    | SPEC         |                           | W/INTER                            | LOCK, 5mm P               |            |         |        | А |
| MATERIAL  | 4 PLC ±-<br>ANGLES ±<br>FINISH  | 2               | -<br>WEIGHT      |           |              |                           | cage code drawing $0.779$ C $- 28$ |                           |            | RESTRIC | TED TO |   |
| -   | -   |                 | CUSTON           | 1E R      | -<br>Drawi   | 1.1.0                     |                                    | SCALE 3 ·   SHE           | ET OF      |         | D.5    |   |
| I   |   |                 | L                |           |              |                           |                                    |                           | L [        | -       | νJ     | J |

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: <u>1-282856-2</u>