

TECHNICAL CHARACTERISTICS


MATERIAL  
 CONTACT MATERIAL: COPPER ALLOY  
 CONTACT TYPE: STAMPED  
 CONTACT PLATING: TIN  
 QUALITY CLASS: 25 MATING CYCLES  
 PITCH: FOR 3.00MM

ENVIRONMENTAL  
 OPERATING TEMPERATURE: -25 UP TO 105°C  
 COMPLIANCE: LEAD FREE AND ROHS


ELECTRICAL  
 CURRENT RATING: 5A  
 WORKING VOLTAGE: 250V AC  
 INSULATOR RESISTANCE: >1000 MOHM  
 DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC/MN  
 CONTACT RESISTANCE: 20 MOHM MAX

WIRE DIMENSION:  
 AWG: AWG 20 - 24

PACKAGING  
 REEL OF 10KPCS



RoHS Compliant			
G			
F			
E			
D			
C			
B			
A	02-NOV-11	PDF	GG
REV	DATE	FILE	BY



GENERAL TOLERANCE  
 .X = +/- 0.2  
 .XX = +/- 0.15



APPROVAL: RJ

UNIT: MM  
 SCALE:  
 SHEET: 1/2  
 DRAW: MIKE

DESCRIPTION: 3.00MM FEMALE CRIMP TERMINAL LOW FORCE  
 WERI PART NO: 66200313722


SIZE  
**A4**

A

B

C

D



Note :

- 1. All dimensions meet EIA-481-3 requirements.
- 2. Material : WH Conductive polystyrene Alloy.
- 3. Thickness : 0.50±0.05mm.
- 4. Component load per reel : 10000 pcs.
- 5. Reel size : diameters 160\*25, T=20.
- 6. Reel chipboard size : diameters 600\*25, T=7.
- 7. Bag size : 900\*900\*0.06.
- 8. Carton size : 615\*615\*340.

Q'tY/Reel	Reel/Carton	Q'tY/Carton
10Kpcs	10	100Kpcs

RoHS Compliant			
G			
F			
E			
D			
C			
B			
A			
REV	DATE	FILE	BY

PROJECTION:

GENERAL TOLERANCE  
.X = +/- 0.2  
.XX = +/- 0.15



APPROVAL:

UNIT: MM  
SCALE:  
SHEET: 2/2  
DRAW: MIKE

DESCRIPTION: 3.00MM FEMALE CRIMP TERMINAL LOW FORCE  
WERI PART NO: 662 003 137 22

SIZE  
**A4**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wurth Electronics:](#)

[66200313722](#)