










LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW




- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



SCALE 2:1



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1



SCALE 1:1

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Tyco Electronics	
DIMENSIONS:		A. HOLT		Tyco Electronics	
mm		14NOV2006		Harrisburg, PA 17105-3608	
0 PLC		W. WELLINSKY		NAME	
1 PLC		14NOV2006		40 WAY SHORTING BAR ARM	
2 PLC		W. WELLINSKY		PLUG ASSEMBLY	
3 PLC		PRODUCT SPEC		WITHOUT SHORTING BARS LOADED	
4 PLC		APPLICATION SPEC		SIZE	
ANGLES		WEIGHT		CAGE CODE	
FINISH		SEE NOTE 5		DRAWING NO	
MATERIAL		00779		RESTRICTED TO	
SEE CHART ON SHEET 2		CUSTOMER DRAWING		SCALE	
		3:1		SHEET	
		1		OF 5	
				REV	
				F	

[illegible]

DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0.1 PL C ± .003 1 PL C ± .003 2 PL C ± .003 3 PL C ± .003 4 PL C ± .003 5 PL C ± .003 6 PL C ± .003 7 PL C ± .003 8 PL C ± .003 9 PL C ± .003 10 PL C ± .003 11 PL C ± .003 12 PL C ± .003 13 PL C ± .003 14 PL C ± .003 15 PL C ± .003 16 PL C ± .003 17 PL C ± .003 18 PL C ± .003 19 PL C ± .003 20 PL C ± .003 21 PL C ± .003 22 PL C ± .003 23 PL C ± .003 24 PL C ± .003 25 PL C ± .003 26 PL C ± .003 27 PL C ± .003 28 PL C ± .003 29 PL C ± .003 30 PL C ± .003 31 PL C ± .003 32 PL C ± .003 33 PL C ± .003 34 PL C ± .003 35 PL C ± .003 36 PL C ± .003 37 PL C ± .003 38 PL C ± .003 39 PL C ± .003 40 PL C ± .003	
MATERIAL: SEE CHART ON SHEET 2		FINISH: -	
WEIGHT: -		CUSTOMER DRAWING: -	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36					0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30					35	36					0-1924170-7	G	
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16														27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																		35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12									21	22														35	36	37	38	39	40	1-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																														1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																		39	40	2-1924170-1	G		
							7	8	9	10	11	12	13	14	15	16																							39	40	2-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-3	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26									35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24											35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18								26										35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40	2-1924170-8	G			
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G		
											11	12																								37	38	39	40	3-1924170-0	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22														35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12									21	22														35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22														35	36	37	38	39	40	3-1924170-5	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	3-1924170-6	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12									21	22		24												35	36	37	38	39	40	3-1924170-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24											35	36	37	38	39	40	3-1924170-9	G		
											11	12							19	20																	37	38	39	40	4-1924170-0	G		
																			19	20																	37	38	39	40	4-1924170-1	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24										35	36	37	38	39	40	4-1924170-3	G		
1	2	3	4	5	6						11	12	13	14	15	16					21	22	23	24																				

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																										
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																										
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																										
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																		7-1924170-4	G
1	2										11	12	13	14	15	16						24																			7-1924170-5	G
											11	12																				32					37	38	39	40	7-1924170-6	G
											11	12							19	20			24																	7-1924170-7	G	
											11	12							19	20													33	34						7-1924170-8	G	
						7	8	9	10	11	12								19	20			24																	7-1924170-9	G	
						7	8	9	10	11	12								19	20													33	34						8-1924170-0	G	
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G	
								9	10	11	12						17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16			19	20																		37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12			14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-6	G	
1	2					7	8	9	10				13	14	15	16					21	22		24										35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10				13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	8-1924170-8	G
1	2	3	4			7	8	9	10	11	12			14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12			14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38		9-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30						35	36	37	38		9-1924170-1	G	
		3	4	5	6						11	12																							35	36	37	38	39	40	9-1924170-2	G
						7	8	9	10	11	12																								35	36	37	38		9-1924170-3	G	
											11	12																							35	36	37	38	39	40	9-1924170-4	G
		3	4	5	6						11	12							19	20																		39	40	9-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G	
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G	
											11	12							19	20																				0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																													0-1924171-4	G	
											11	12																												0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G	
						7	8	9	10	11	12													24												35	36				0-1924171-7	G
											11	12	13	14	15	16																								0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924172-2](#)