

Coding bolt - HC-CB - 1772722


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coding pin, prevents mismatching of up to six connectors with an identical number of positions



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 037376
Weight per Piece (excluding packing)	2.76 g
Custom tariff number	73181510
Country of origin	Germany

Technical data

General

Material	Steel
Assembly instructions	Not suitable for modular contact inserts (HEAVYCON modular).

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209

Coding bolt - HC-CB - 1772722

Classifications

eCl@ss

eCl@ss 8.0	27440203
------------	----------

ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002311

UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details

EAC


Drawings

Coding bolt - HC-CB - 1772722

Dimensional drawing




Schematic diagram



Coding for housings with one contact insert

Dimensional drawing

Schematic diagram



Coding for housings with two contact inserts

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1772722](#)