



		1							
LOC	DIST	REVISIONS							
AJ	17	P	LTR	DESCRIPTION			DATE	DWN	APVD
			C	REVISED PER EC OS14-0016-04			27JAN05	BM	KW

1. TAPE, REEL, AND TAPING SHALL MEET THE REQUIREMENTS OF EIA-481-1.
2. EMBOSSED TAPE SHALL BE CONDUCTIVE TYPE.
3. FOR PART ORIENTATION IN TAPE SEE DETAIL A.
4. REEL SHALL CONTAIN 600 PIECES.
- 5 REEL IDENTIFICATON LABEL SHALL BE PRINTED WITH REEL P/N, MANUFACTURER, QTY, AND TAPING DATE AS A MINIMUM.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	POV	6/3/94	tyco Electronics Tyco Electronics Corporation Harrisburg, Pa 17105-3608																				
DIMENSIONS: mm[INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:			CHK	NAME																			
		APVD			POV	10/12/94	TAPE AND REEL PACKAGING, OSMT PLUG, 178mm REEL (600 PARTS PER REEL)																		
		PRODUCT SPEC			—			SIZE																	
		APPLICATION SPEC			—																				
		MATERIAL			FINISH			WEIGHT			—														
—		—			—			A2			00779			C=1254242			RESTRICTED TO								
					CUSTOMER DRAWING			SCALE			3/4:1			SHEET			1 OF 2			REV			C		

LOC	DIST	REVISIONS					
AJ	17	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

D

C

B


A

D

C

B

A



NOTES (FOR PCB LAYOUT ONLY):

1. PRINTED WIRING BOARD MATERIAL: GLASS EPOXY. FR-4 OR SIMILAR, RELATIVE PERMITTIVITY: 4.8oz. COPPER CLAD BOTH SIDES.

2. THESE DIMENSIONS VALID FOR 1.60[.062] BOARD THICKNESS.

RECOMMENDED MOUNTING PATTERN FOR MICROSTRIP LINE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN <i>PCV</i> 6/3/94	tyco Tyco Electronics Corporation		
		CHK	Harrisburg, Pa 17105-3608		
DIMENSIONS: mm[INCHES]		APVD <i>PCV</i> 10/12/94	NAME		
		PRODUCT SPEC	TAPE AND REEL PACKAGING, OSMT		
		APPLICATION SPEC	PLUG, 178mm REEL (600 PARTS PER REEL)		
		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		A2 00779 C=1254242			
MATERIAL -	FINISH -	WEIGHT -	CUSTOMER DRAWING		
		SCALE 20:1	SHEET 2 OF 2	REV C	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2367-5015-54](#)