



NOTES:

- FOR DIM A, AND B SEE SHEET 2 AND UP.
- MATERIAL : BODY : THERMOPLASTIC UL94-V0. Δ
: CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408. Δ
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXPLF
- PRODUCT SPECIFICATION: GS-12-180
- APPLICATION SPECIFICATION: BUS-20-075
- THE PRODUCTS MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS Δ DESCRIBED IN GS-47-0004.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



| | | | | | | | | | | | | | | | |
|---------------|---------------------------------------|-----------------------------|----------------|------------|---|--------|--------|-----------------|----------|------------|------------------------|--|--|--------------|--|
| spec ref | * | dr | Terran Huang | 2010/07/09 | projection | MM | size | A4 | scale | 11:10 | | | | | |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | eng | Rahul Mohan-M | 2021/06/15 | | | ecn no | ELX-I-41204-1 | | | | | | | |
| ISO 406 | | chr | - | - | | | | rel level | Released | | | | | | |
| ISO 1101 | | appr | Kuriakose, San | 2021/08/13 | product family | METRAL | | | | | | | | | |
| surface | 3.200 linear | Amphenol FCI www.fci.com | | | METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT | | | dwg no 70430 | | rev | BA | | | | |
| | 0.X | | | | | | | | | ± 0.3 | Product - Customer Drw | | | sheet 1 of 6 | |
| | 0.XX | | | | | | | | | ± 0.13 | | | | | |
| | 0.XXX | ± 0.051 | | | | | | | | | | | | | |
| ISO 1302 | angular | 0° | $\pm 2^\circ$ | | | | | | | | | | | | |



| KEY | | |
|------|--------------|--------------|
| CODE | DIMENSIONS | |
| | DIM "A" MATE | DIM "B" TAIL |
| P01 | 6.50 | 4.30 |
| P02 | 7.25 | 4.30 |
| P03 | 8.00 | 4.30 |
| P04 | 6.50 | 13.60 |
| P05 | 7.25 | 13.60 |
| P06 | 8.00 | 13.60 |
| P07 | 6.5 | 17.00 |
| P08 | 7.25 | 17.00 |
| P11 | 7.25 | 12.20 |
| P12 | 8.00 | 12.20 |
| P16 | 5.00 | 4.30 |
| P17 | 5.75 | 4.30 |
| P29 | 7.25 | 11.80 |

REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

⊕ ∅0.10

| | | | | | | | | | | |
|---------------------------------------|--------------|-------|----------------|-----------------|----------------|------------------------|------------------------|---------------|--------------|-------|
| spec ref * | | dr | Terran Huang | 2010/07/09 | projection | MM | size | A4 | scale | 21:10 |
| tolerance std | | eng | Rahul Mohan-M | 2021/06/15 | | | ecn no | ELX-I-41204-1 | | |
| ISO 406 ISO 1101 | | chr | - | - | | | rel level | Released | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | appr | Kuriakose, San | 2021/08/13 | product family | | METRAL | | | |
| surface | 3.200 linear | 0.X | ±0.3 | Amphenol FCi | title | METRAL POWER HEADER | | | | rev |
| | | 0.XX | ±0.13 | | | 1 MOD, 5 ROW PRESS-FIT | | | | |
| | | 0.XXX | ±0.051 | | | | | | | |
| ISO 1302 | angular | 0° | ±2° | www.fci.com | cat. no. | - | Product - Customer Drw | | sheet 2 of 6 | |
| | | | | | | dwg no | 70430 | | BA | |

A

B

C

D

A

B

C

D

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | |
|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|
| | | 1 | 2 | | | 1 | 2 | | | 1 | 2 | | | 1 | 2 |
| 70430-X01LF | E | - | - | 70430-X05LF | E | P03 | P01 | 70430-X09LF | E | P02 | P01 | 70430-X13LF | E | P01 | P02 |
| | D | P03 | P03 | | D | P03 | P01 | | D | P02 | P01 | | D | P01 | P02 |
| | C | P02 | P02 | | C | P03 | P01 | | C | P02 | P01 | | C | P03 | P03 |
| | B | P01 | P01 | | B | P03 | P01 | | B | P02 | P01 | | B | P03 | P03 |
| | A | P03 | P03 | | A | P03 | P01 | | A | P02 | P01 | | A | P03 | P03 |
| 70430-X02LF | E | P01 | P01 | 70430-X06LF | E | P03 | P03 | 70430-X10LF | E | P01 | P01 | 70430-X14LF | E | P01 | P01 |
| | D | P02 | P02 | | D | P02 | P02 | | D | P01 | P01 | | D | P01 | P01 |
| | C | P03 | P03 | | C | P01 | P01 | | C | P02 | P02 | | C | - | - |
| | B | - | - | | B | - | - | | B | P03 | P03 | | B | P03 | P03 |
| | A | P03 | P03 | | A | P03 | P03 | | A | - | - | | A | P02 | P02 |
| 70430-X03LF | E | P02 | P01 | 70430-X07LF | E | P01 | P01 | 70430-X11LF | E | P02 | P03 | 70430-X15LF | E | P06 | P05 |
| | D | - | - | | D | - | - | | D | P02 | P03 | | D | P06 | P05 |
| | C | P01 | P01 | | C | - | - | | C | P03 | P03 | | C | P06 | P05 |
| | B | P01 | P01 | | B | - | - | | B | P03 | P03 | | B | P06 | P05 |
| | A | P01 | P01 | | A | P01 | P01 | | A | P03 | P03 | | A | P06 | P05 |
| 70430-X04LF | E | P02 | P01 | 70430-X08LF | E | P03 | P02 | 70430-X12LF | E | P02 | P03 | 70430-X16LF | E | P03 | P02 |
| | D | P03 | P03 | | D | - | - | | D | P02 | P03 | | D | P03 | P02 |
| | C | - | - | | C | P03 | P02 | | C | P02 | P03 | | C | P03 | P02 |
| | B | P01 | P01 | | B | - | - | | B | P02 | P03 | | B | P03 | P02 |
| | A | P03 | P03 | | A | P03 | P02 | | A | P02 | P03 | | A | P03 | P02 |
| 70430-X17LF | E | P03 | P03 | 70430-X18LF | E | P01 | P02 | 70430-X19LF | E | P02 | P02 | 70430-X20LF | E | P05 | P05 |
| | D | P03 | P03 | | D | P01 | P02 | | D | P01 | P02 | | D | P05 | P05 |
| | C | - | - | | C | P01 | P02 | | C | P01 | P02 | | C | P05 | P05 |
| | B | P03 | P03 | | B | P01 | P02 | | B | P01 | P02 | | B | P05 | P05 |
| | A | P03 | P03 | | A | P01 | P02 | | A | P02 | P02 | | A | P06 | P06 |

| | | | | | | | | | | | |
|---------------------|---------------------------------------|-------|----------------|------------|-----------------|----------|---------------------|------------------------|--------------|------|----|
| spec ref | * | dr | Terran Huang | 2010/07/09 | projection | MM | size | A4 | scale | 1:10 | |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | eng | Rahul Mohan-M | 2021/06/15 | | | ecn no | ELX-I-41204-1 | | | |
| ISO 406 ISO 1101 | | chr | - | - | | | rel level | Released | | | |
| surface | 3.200 linear | appr | Kuriakose, San | 2021/08/13 | product family | METRAL | rel level | Released | | | |
| ISO 1302 | angular | 0° | ±2° | | Amphenol FCI | title | METRAL POWER HEADER | dwg no | 70430 | rev | BA |
| | | 0.X | ±0.3 | | www.fci.com | cat. no. | - | Product - Customer Drw | sheet 3 of 6 | | |
| | | 0.XX | ±0.13 | | | | | | | | |
| | | 0.XXX | ±0.051 | | | | | | | | |

A

B

C

D

A

B

C

D

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | | | | |
|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|---|-----|-----|
| | | 1 | 2 | | | 1 | 2 | | | 1 | 2 | | | 1 | 2 | | | | |
| 70430-X21LF | E | P02 | P02 | 70430-X25LF | E | P04 | P06 | 70430-X29LF | E | P04 | P05 | 70430-X33LF | E | P02 | - | 70430-X37LF | E | P01 | P02 |
| | D | P02 | P02 | | D | P04 | P06 | | D | P05 | P05 | | D | P02 | - | | D | P01 | P01 |
| | C | P02 | P02 | | C | P04 | P06 | | C | P05 | P05 | | C | P02 | - | | C | P02 | P02 |
| | B | P02 | P02 | | B | P04 | P06 | | B | P05 | P05 | | B | P02 | - | | B | P01 | P01 |
| | A | P03 | P03 | | A | P04 | P06 | | A | P05 | P05 | | A | P02 | - | | A | P02 | P02 |
| 70430-X22LF | E | P06 | P06 | 70430-X26LF | E | P03 | P03 | 70430-X30LF | E | P01 | P02 | 70430-X34LF | E | P02 | - | 70430-X38LF | E | P02 | P02 |
| | D | P06 | P06 | | D | P02 | P02 | | D | P02 | P02 | | D | - | P01 | | D | P01 | P01 |
| | C | P06 | P05 | | C | P01 | P01 | | C | P02 | P02 | | C | P02 | - | | C | P02 | P01 |
| | B | P06 | P05 | | B | - | - | | B | P02 | P02 | | B | - | P01 | | B | P01 | P02 |
| | A | P06 | P06 | | A | P03 | - | | A | P02 | P02 | | A | P02 | - | | A | P02 | P01 |
| 70430-X23LF | E | P03 | P03 | 70430-X27LF | E | P06 | P04 | 70430-X31LF | E | P01 | P01 | 70430-X35LF | E | P01 | P02 | 70430-X39LF | E | P01 | P17 |
| | D | P03 | P03 | | D | P06 | P06 | | D | P01 | P01 | | D | P02 | P01 | | D | P01 | P17 |
| | C | P03 | P02 | | C | P06 | P06 | | C | P01 | P01 | | C | P01 | P02 | | C | P01 | P17 |
| | B | P03 | P02 | | B | P06 | P06 | | B | P03 | P01 | | B | P01 | P01 | | B | P01 | P17 |
| | A | P03 | P03 | | A | P06 | P06 | | A | P03 | P01 | | A | P02 | P01 | | A | P01 | P17 |
| 70430-X24LF | E | P01 | P03 | 70430-X28LF | E | P03 | P01 | 70430-X32LF | E | P05 | P06 | 70430-X36LF | E | P01 | P02 | 70430-X40LF | E | P03 | P01 |
| | D | P01 | P03 | | D | P03 | P03 | | D | P05 | P06 | | D | P02 | P01 | | D | P03 | P03 |
| | C | P01 | P03 | | C | P03 | P03 | | C | P05 | P06 | | C | P01 | P02 | | C | P03 | P03 |
| | B | P01 | P03 | | B | P03 | P03 | | B | P05 | P06 | | B | P01 | P01 | | B | P03 | P03 |
| | A | P01 | P03 | | A | P03 | P03 | | A | P05 | P06 | | A | P02 | P02 | | A | P03 | P03 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--------|----------------|------------|----------------|--------|-------|-----------|---------------|--------|---------|----|-----|---|-------|---------------------|--|------------------------|----------|---|---|--------|-------|-------|--------|
| spec ref | * | dr | Terran Huang | 2010/07/09 | projection | | | size | A4 | scale | 1:10 | | | | | | | | | | | | | | |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | eng | Rahul Mohan-M | 2021/06/15 | | | | ecn no | ELX-I-41204-1 | | | | | | | | | | | | | | | | |
| ISO 406 ISO 1101 | | chr | - | - | | | | rel level | Released | | | | | | | | | | | | | | | | |
| surface | 3.200 | appr | Kuriakose, San | 2021/08/13 | product family | METRAL | rev | BA | | | | | | | | | | | | | | | | | |
| ISO 1302 | <table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.13</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.051</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table> | linear | 0.X | ±0.3 | | 0.XX | ±0.13 | | 0.XXX | ±0.051 | angular | 0° | ±2° | <table border="1"> <tr> <td>title</td> <td>METRAL POWER HEADER</td> </tr> <tr> <td></td> <td>1 MOD, 5 ROW PRESS-FIT</td> </tr> <tr> <td>cat. no.</td> <td>-</td> </tr> </table> | title | METRAL POWER HEADER | | 1 MOD, 5 ROW PRESS-FIT | cat. no. | - | <table border="1"> <tr> <td>dwg no</td> <td>70430</td> </tr> <tr> <td>sheet</td> <td>4 of 6</td> </tr> </table> | dwg no | 70430 | sheet | 4 of 6 |
| linear | 0.X | ±0.3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.XX | ±0.13 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.XXX | ±0.051 | | | | | | | | | | | | | | | | | | | | | | | |
| angular | 0° | ±2° | | | | | | | | | | | | | | | | | | | | | | | |
| title | METRAL POWER HEADER | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 MOD, 5 ROW PRESS-FIT | | | | | | | | | | | | | | | | | | | | | | | | |
| cat. no. | - | | | | | | | | | | | | | | | | | | | | | | | | |
| dwg no | 70430 | | | | | | | | | | | | | | | | | | | | | | | | |
| sheet | 4 of 6 | | | | | | | | | | | | | | | | | | | | | | | | |

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | | | | |
|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|-----|---------------------|-----|-------------|---|------|-----|
| | | 1 | 2 | | | 1 | 2 | | | 1 | 2 | | | 1 | 2 | | | | |
| 70430-X41LF | E | P06 | P04 | 70430-X45LF | E | P02 | P01 | 70430-X49LF | E | P02 | P01 | 70430-X53LF | E | P05 | P06 | 70430-X57LF | E | P016 | P01 |
| | D | P06 | P06 | | D | P03 | P03 | | D | P02 | P01 | | D | P12 | P06 | | D | P016 | P01 |
| | C | P06 | P06 | | C | - | - | | C | P02 | P01 | | C | P12 | P06 | | C | P016 | P01 |
| | B | P06 | P06 | | B | P03 | P03 | | B | P02 | P02 | | B | P12 | P06 | | B | P016 | P01 |
| | A | P06 | P06 | | A | P03 | P03 | | A | P02 | P02 | | A | P12 | P06 | | A | P016 | P01 |
| 70430-X42LF | E | P01 | P02 | 70430-X46LF | E | P03 | P01 | 70430-X50LF | E | P02 | P02 | 70430-X54LF | E | P05 | P06 | 70430-X58LF | E | P01 | P02 |
| | D | P02 | P02 | | D | P01 | P03 | | D | P02 | P02 | | D | P11 | P06 | | D | P01 | P02 |
| | C | P02 | P02 | | C | P03 | P01 | | C | P01 | P02 | | C | P11 | P06 | | C | P01 | P02 |
| | B | P02 | P02 | | B | P01 | P03 | | B | P01 | P02 | | B | P11 | P06 | | B | P01 | P16 |
| | A | P02 | P02 | | A | P03 | P01 | | A | P01 | P02 | | A | P11 | P06 | | A | P01 | P02 |
| 70430-X43LF | E | P04 | P05 | 70430-X47LF | E | P01 | P03 | 70430-X51LF | E | P02 | P01 | 70430-X55LF | E | P05 | P06 | 70430-X59LF | E | P17 | P17 |
| | D | P05 | P05 | | D | P03 | P01 | | D | P03 | P03 | | D | P29 | P06 | | D | P17 | P17 |
| | C | P05 | P05 | | C | P01 | P03 | | C | - | - | | C | P29 | P06 | | C | P17 | P17 |
| | B | P05 | P05 | | B | P03 | P01 | | B | P01 | P01 | | B | P29 | P06 | | B | P17 | P01 |
| | A | P05 | P05 | | A | P01 | P03 | | A | P03 | P03 | | A | P29 | P06 | | A | P17 | P01 |
| 70430-X44LF | E | P03 | P03 | 70430-X48LF | E | P01 | P03 | 70430-X52LF | E | P11 | P06 | 70430-X56LF | E | P01 | P01 | 70430-X60LF | E | P07 | P08 |
| | D | P02 | P02 | | D | P03 | P02 | | D | P11 | P06 | | D | P01 | P01 | | D | P07 | P08 |
| | C | P16 | P16 | | C | P01 | P03 | | C | P11 | P06 | | C | P01 | P05 | | C | P07 | P08 |
| | B | - | - | | B | P01 | P02 | | B | P11 | P06 | | B | P09 | P09 | | B | P07 | P08 |
| | A | P03 | - | | A | P01 | P02 | | A | P11 | P06 | | A | P09 | P09 | | A | P07 | P08 |

| | | | | | | | | | | | | | | | | | | | | |
|---------------|--|---|---------------|------------|-------------|------|------------|------------------------|--------------|--------|---------|----|-----|------|----------------|------------|----------------|--------|-----|----|
| spec ref | * | dr | Terran Huang | 2010/07/09 | projection | | | size | A4 | scale | 1:10 | | | | | | | | | |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED ISO 406 ISO 1101 | eng | Rahul Mohan-M | 2021/06/15 | ecn no | | | ELX-I-41204-1 | | | | | | | | | | | | |
| surface | | 3.200 | chr | - | | | | rel level | Released | | | | | | | | | | | |
| ISO 1302 | <table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.13</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.051</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table> | linear | 0.X | ±0.3 | | 0.XX | ±0.13 | | 0.XXX | ±0.051 | angular | 0° | ±2° | appr | Kuriakose, San | 2021/08/13 | product family | METRAL | rev | BA |
| linear | 0.X | ±0.3 | | | | | | | | | | | | | | | | | | |
| | 0.XX | ±0.13 | | | | | | | | | | | | | | | | | | |
| | 0.XXX | ±0.051 | | | | | | | | | | | | | | | | | | |
| angular | 0° | ±2° | | | | | | | | | | | | | | | | | | |
| | | METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT | | | www.fci.com | | cat. no. - | Product - Customer Drw | sheet 5 of 6 | | | | | | | | | | | |

A

B

C

D

A

B

C

D

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | |
|------------|-----|---------------------|-----|------------|-----|---------------------|-----|------------|-----|---------------------|-----|
| | | 1 | 2 | | | 1 | 2 | | | 1 | 2 |
| | | 70430-X61LF | E | | | P01 | P01 | | | 70430-X65LF | E |
| | D | P01 | P01 | | D | P02 | P02 | | D | P01 | P01 |
| | C | P01 | P01 | | C | P02 | P02 | | C | P01 | P03 |
| | B | P01 | P01 | | B | P02 | P02 | | B | P01 | P01 |
| | A | - | - | | A | P02 | P02 | | A | P16 | P16 |

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | |
|------------|-----|---------------------|-----|------------|-----|---------------------|-----|
| | | 1 | 2 | | | 1 | 2 |
| | | 70430-X62LF | E | | | P01 | P01 |
| | D | P01 | P01 | | D | P03 | P01 |
| | C | P01 | P03 | | C | P03 | P03 |
| | B | P01 | P01 | | B | P03 | P03 |
| | A | P01 | P01 | | A | P03 | P03 |

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | |
|------------|-----|---------------------|-----|------------|-----|---------------------|-----|
| | | 1 | 2 | | | 1 | 2 |
| | | 70430-X63LF | E | | | P03 | P02 |
| | D | P03 | P02 | | D | P03 | P03 |
| | C | P03 | P03 | | C | P02 | P02 |
| | B | P03 | P03 | | B | P02 | P02 |
| | A | P03 | P03 | | A | P02 | P02 |

| METRAL P/N | ROW | CONTACT CODE MOD. I | | METRAL P/N | ROW | CONTACT CODE MOD. I | |
|------------|-----|---------------------|-----|------------|-----|---------------------|-----|
| | | 1 | 2 | | | 1 | 2 |
| | | 70430-X64LF | E | | | P03 | P01 |
| | D | P03 | P03 | | D | P03 | P03 |
| | C | P03 | P02 | | C | P02 | P03 |
| | B | P03 | P02 | | B | P02 | P03 |
| | A | P03 | P02 | | A | P02 | P03 |

| | | | | | | | | | | |
|---------------|---------------------------------------|------|----------------|-------------|----------------|---|------------------------|---------------|-------|------|
| spec ref | * | dr | Terran Huang | 2010/07/09 | projection | | size | A4 | scale | 1:10 |
| tolerance std | ISO 406 ISO 1101 | eng | Rahul Mohan-M | 2021/06/15 | | | ecn no | ELX-I-41204-1 | | |
| | TOLERANCES UNLESS OTHERWISE SPECIFIED | chr | - | - | | | rel level | Released | | |
| surface | 3.200 linear | appr | Kuriakose, San | 2021/08/13 | product family | METRAL | | | | |
| | ISO 1302 | | | | title | METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT | dwg no | 70430 | rev | BA |
| | angular | 0° | ±2° | www.fci.com | cat. no. | - | Product - Customer Drw | sheet 6 of 6 | | |