




POS. No. 1

A ± 0.1

0.8 ± 0.1

No. OF CIRCUIT

80

B

"A"

AMP

0.5

2.5

12

± 0.1

C

Ø 0.7 ± 0.05

Ø 1.1 ± 0.05

0.9 ± 0.05

5

7.6

6

2.5 ± 0.03

C ± 0.08

A ± 0.03

0.8 ± 0.03

2 ± 0.05

6.4 ± 0.05

2 ± 0.05

Ø 0.8 ± 0.03

Ø 1.2 ± 0.03

RECOMMENDED P.C. BOARD LAYOUT

LOW HALOGEN

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED.

IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING

ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm

0 PLC ±

1 PLC ± 0.30

2 PLC ± 0.25

3 PLC ± 0.20

4 PLC ±

ANGLES ± 3°

MATERIAL

1

TOLERANCES UNLESS OTHERWISE SPECIFIED:

FINISH

2

DWN

FLORENCE TAN

14SEP04

CHK

ERIC TNG

APVD

SEIFONG

PRODUCT SPEC

108-5390

APPLICATION SPEC

114-5254

WEIGHT

-

CUSTOMER DRAWING

NAME

PLUG ASSY

FOR FH 0.8 BTB CONNECTOR 8H

0.5 BOSS LENGTH (0.76um GOLD)

SIZE

A3

CAGE CODE

00779

DRAWING NO

6123002

SCALE

4:1

SHEET

1

OF

2

REV


B

AMP

Tyco Electronics

Singapore

AMP 1470-19 REV 09MAY94



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-6123002-0](#)