





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED FOR PRODUCTION	04MAR2016	TX	SH


- NOTES:
- MATERIAL:
HOUSING: HIGH TEMP THERMOPLASTIC, UL94V-0, COLOR:BLACK
CONTACT: COPPER ALLOY
BOARDLOCK: COPPER ALLOY
 - FINISH:
CONTACT AREA: MIN 0.76µm GOLD PLATING
SOLDERTAIL: MIN 2.54µm MATTE TIN PLATING
UNDERPLATE: MIN 1.27µm NICKEL PLATING
 - PIN #P4 AND #P12 ONLY
 - SOLDERTAIL TO BE 0.05 MAX ABOVE AND 0.10 MAX BELOW DATUM E
 - 1.33 MAX MEASURED AT DATUM C





SECTION H-H
SCALE 4:1

YES	2170560-2
NO	2170560-1
PICK-UP CAP 1	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 20JUN2013	TE Connectivity		
DIMENSIONS: mm		CHK ALEX CAI 20JUN2013			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD ALEX CAI 20JUN2013	NAME 12G SAS/PCIe COMBO RECEPTACLE, STANDARD 15P+6P+7P+40P		
0 PLC ±-		PRODUCT SPEC	SIZE A2		
1 PLC ±0.20		APPLICATION SPEC	CAGE CODE -		
2 PLC ±0.20		WEIGHT	DRAWING NO C-2170560		
3 PLC ±0.20		CUSTOMER DRAWING	RESTRICTED TO -		
4 PLC ±0.0001°		SCALE 2:1	SHEET 1 OF 2		
ANGLES ±1°			REV A		
FINISH					



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 20JUN2013	TE Connectivity		
DIMENSIONS: mm		CHK ALEX CAI 20JUN2013			
		APVD ALEX CAI 20JUN2013	NAME 12G SAS/PCIe COMBO RECEPTACLE, STANDARD 15P+6P+7P+40P		
		PRODUCT SPEC 108-51109	SIZE A2		
MATERIAL -		APPLICATION SPEC 114-60017	CAGE CODE -		
		WEIGHT -	DRAWING NO C-2170560		
		CUSTOMER DRAWING	RESTRICTED TO -		
			SCALE 2:1	SHEET 2 OF 2	REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2170560-2](#)