




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	G	REV PER ECO 15-003148	2-27-15	CT	DM

D

C

B

A



OLIVE DRAB	SOLD SEPARATELY	B	1-1811928-5
OLIVE DRAB	SOLD SEPARATELY	A	1-1811928-4
OLIVE DRAB	SOLD SEPARATELY	N	1-1811928-3
OLIVE DRAB	PROVIDED UN-ASSEMBLED	B	1-1811928-2
OLIVE DRAB	PROVIDED UN-ASSEMBLED	A	1-1811928-1
OLIVE DRAB	PROVIDED UN-ASSEMBLED	N	1-1811928-0
NICKEL	SOLD SEPARATELY	B	1811928-9
NICKEL	SOLD SEPARATELY	A	1811928-8
NICKEL	SOLD SEPARATELY	N	1811928-7
NICKEL	PROVIDED UN-ASSEMBLED	B	1811928-3
NICKEL	PROVIDED UN-ASSEMBLED	A	1811928-2
NICKEL	PROVIDED UN-ASSEMBLED	N	1811928-1
FINISH	QUADRAX CONTACT 1445693-3 QTY=8	SHELL KEYING ARRANGEMENT	PART NUMBER

- 1, -2, -3, -10, -11 AND -12 CONNECTOR KIT INCLUDES TYCO ELECTRONICS QUADRAX PIN ASSEMBLY; PART NUMBER 1445693-3. QTY = 8 PER KIT.
- PART IS MARKED WITH TYCO ELECTRONICS PART NO. (SEE TABLE), TYCO ELCETRONICS LOGO OR TE, AND DATE CODE.
- OPERATING TEMPERATURE RANGE: -65°C TO +125°C (-85°F TO +257°F).
- THE CONNECTOR QUALIFICATION WAS COMPLETED PER TYCO ELECTRONICS 108-2199. THE QUADRAX CONTACTS ARE QUALIFIED PER TYCO ELECTRONICS 108-2131. THE REFERENCE TEST REPORTS ARE TYCO ELECTRONICS 501-660 FOR THE CONNECTOR AND 501-574 FOR THE CONTACTS WHICH ARE SAME AS ARINC 600-13, DRAFT 2 OF SUPPLIMENT 14 (AIR TRANSPORT AVIONICS EQUIPMENT INTERFACES).

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R FLAIG 17MAY2005
CHK L OH 17MAY2005
APVD L OH 17MAY2005

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.1
1 PLC ±.01
2 PLC ±.005
3 PLC ±.0020
4 PLC ANGLES ±.
FINISH

PRODUCT SPEC
APPLICATION SPEC
WEIGHT

CUSTOMER DRAWING

NAME
ASSY, PLUG, SIZE 25, 808, M38999 STYLE

SIZE CAGE CODE DRAWING NO
A200779C-1811928


RESTRICTED TO

SCALE 2:1


SHEET 1 OF 2

REV G


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




1811928-1
"N" KEY POLARIZATION




1811928-2
"A" KEY POLARIZATION



1811928-3
"B" KEY POLARIZATION



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R FLAIG 17MAY2005		 TE Connectivity							
DIMENSIONS: INCHES		CHK L OH 17MAY2005									
		APVD L OH 17MAY2005		NAME ASSY, PLUG, SIZE 25, 808, M38999 STYLE -							
		PRODUCT SPEC -									
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
0 PLC ±-		WEIGHT -		A2		00779		C=1811928		-	
1 PLC ±.1		CUSTOMER DRAWING		SCALE		2:1		SHEET		2 OF 2	
2 PLC ±.01										REV G	
3 PLC ±.005											
4 PLC ±.0020											
ANGLES ±-											
FINISH											
MATERIAL											
-											
-											

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1811928-3](#)