








LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:				TYPICAL DIMENSIONS:		MATERIAL		FINISH		WEIGHT		CUSTOMER DRAWING	
0 PLC ±.3				mm		SEE CHART ON SHEET 2		-		SEE NOTE 5		SCALE 3:1	
1 PLC ±.3												SHEET 1 OF 5	
2 PLC ±.10												REV F	
3 PLC ±.10													
4 PLC ±.10													
ANGLES ±.3°													
TYPICAL DIMENSIONS:													
mm													

[illegible][illegible]AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-4	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36					0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30					35	36					0-1924170-7	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-8	G
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4			7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G
1	2					7	8	9	10	11	12									21	22														35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4			7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	1-1924170-5	G	
1	2					7	8	9	10	11	12									21	22														35	36	37	38	39	40	1-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18										27	28	29	30					35	36	37	38	39	40	1-1924170-8	G
							7	8	9	10	11	12																													1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30								39	40	2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																							39	40	2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-3	G		
1	2					7	8	9	10	11	12						17	18		21	22	23	24	25	26									35	36	37	38	39	40	2-1924170-4	G		
1	2					7	8	9	10	11	12						17	18		21	22	23	24											35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40	2-1924170-8	G		
			3	4		7	8	9	10	11	12	13	14	15	16																							37	38	39	40	2-1924170-9	G
											11	12																									37	38	39	40	3-1924170-0	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	3-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	3-1924170-3	G	
1	2					7	8	9	10	11	12									21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2					7	8	9	10	11	12	13	14	15	16					21	22														35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24						29	30				35	36	37	38	39	40	3-1924170-7	G	
1	2					7	8	9	10	11	12									21	22			24											35	36	37	38	39	40	3-1924170-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
											11	12								19	20															37	38	39	40	4-1924170-0	G		
					5	6	7	8	9	10	11	12	13	14	15	16				19	20																37	38	39	40	4-1924170-1	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16				21	22			24				27	28	29	30					35	36	37	38	39	40	4-1924170-2	G
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G
1	2	3	4	5	6						11</																																

LOC	DIST	REVISONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER		KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36				37	38	39	40		
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24											35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30								37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16									24											35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G			
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G			
											11	12												24																	7-1924170-4	G		
1	2										11	12	13	14	15	16							24																		7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12																						33	34						7-1924170-8	G		
						7	8	9	10	11	12												24																		7-1924170-9	G		
						7	8	9	10	11	12																								33	34					8-1924170-0	G		
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G		
							9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G	
				5	6	7	8	9	10	11	12	13	14	15	16																							37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20														33	34			37	38	39	40	8-1924170-4	G
						7	8	9	10	11	12	13	14	15	16				19	20															33	34			37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G			
		3	4	5	6					11	12													24											35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12													24											35	36	37	38			9-1924170-3	G		
										11	12													24											35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6					11	12									19	20																	39	40	9-1924170-5	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16					19	20			24											33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24											33	34			37	38	39	40	9-1924170-8	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24													37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16					19	20			24													37	38	39	40	0-1924171-1	G		
										11	12									19	20																				0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12									19	20			24														39	40	0-1924171-3	G			
						7	8	9	10	11	12																								33	34					0-1924171-4	G		
										11	12																								33	34					0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12													24												35	36					0-1924171-7	G	
										11	12	13	14	15	16									24																	0-1924171-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G		

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40			
											11	12																												0-1924172-1	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	0-1924172-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G	
							7	8	9	10	11	12	13	14	15	16																					35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																									35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24												35	36	37	38	39	40	0-1924172-6	G	
							7	8	9	10	11	12					17	18																			35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																			35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22															35	36	37	38	39	40	0-1924172-9	G	
							7	8	9	10	11	12												24													35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30						35	36	37	38	39	40	1-1924172-2	G	
1	2					7	8	9	10	11	12						17	18			21	22														35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24													35	36	37	38	39	40	1-1924172-4	G
			3	4	5	6																		24													35	36	37	38	39		1-1924172-5	G
			3	4	5	6					11	12												24													35	36	37	38	39		1-1924172-6	G

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12																											0-1924173-1	H				
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22					27	28	29	30										39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H		
									9	10	11	12																												39	40	0-1924173-6	H	
							7	8	9	10	11	12												24												35	36	37	38	39	40	0-1924173-7	H	
							7	8	9	10	11	12											24																		0-1924173-8	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32						37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32						37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	1-1924173-2	H		
									9	10	11	12					17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	1-1924173-3	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32							37	38	39	40	1-1924173-4	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						35	36	37	38			1-1924173-6	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34					37	38	39	40	1-1924173-8	H	
			3	4	5	6					11	12								19	20																			39	40	1-1924173-9	H	
			3	4	5	6					11	12								19	20					24														39	40	2-1924173-0	H	
			3	4	5	6					11	12								19	20				24															39	40	2-1924173-1	H	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924170-6](#)